




Depart, Explore, Conquer
Define yourself, Reward your life



www.conquer4x4.com/www.crownandpinion.com



Conquer 4x4 Co.,Ltd

www.conquer4x4.com / www.crownandpinion.com

Conquer4x4 Co., Ltd, one subsidiaries of Conquer Group, has our own brand “conquer4x4” . As an independently managed and independently operated company, Conquer4x4 mainly manufacture and sell axle shaft, diff(LSD, Elocker diff, air locker diff), crown and pinion.

Conquer4x4 Always adheres to the company's slogan “ Depart, explore, Conquer, Define yourself, Reward your life” , committing to provide high – performance, reliable and high quality parts. It is our honor if our our parts could bring you more fun and experience during your adventure.



- We are factory, all the pictures are taken by our product.
- We manufacture according to samples, not matching OE number, more accurate.
- All sizes are based on actual measurements. There maybe errors, for reference only.
- In the "Other" column, we put C&P that we don't know the car model, kindly visit.
- If you can ' t find the C&P that you need, kindly contact us for customization.

Toyota

• Hilux / Hiace	- - - - -	P1
• Land Cruiser	- - - - -	P5
• DAIHATSU	- - - - -	P7
• Coaster	- - - - -	P8
• 14B	- - - - -	P10
• F50 series	- - - - -	P11
• Townace	- - - - -	P12
• Revo	- - - - -	P13
• Other	- - - - -	P14

Mitsubishi

• PS100	- - - - -	P15
• PS120	- - - - -	P16
• PS135	- - - - -	P17
• PS136	- - - - -	P18
• PS190	- - - - -	P19
• PS220	- - - - -	P20
• Fuso, 6D16	- - - - -	P21
• Pajero	- - - - -	P22
• L200	- - - - -	P24

Isuzu

• NPR	- - - - -	P25
• NHR	- - - - -	P29
• TFR	- - - - -	P30
• NKR	- - - - -	P31
• FSR	- - - - -	P32
• FTR	- - - - -	P33
• FVR	- - - - -	P34
• FRR	- - - - -	P35

Hino

• HT130	- - - - -	P36
• FD	- - - - -	P37
• Other	- - - - -	P39

Suzuki

• Samurai	- - - - -	P41
• Vitara	- - - - -	P42
• Other	- - - - -	P46

Nissan

• Z24	- - - - -	P44
• Patrol	- - - - -	P45

Mazda

- T3500 - - - - - P46
- K2700 - - - - - P47
- Other - - - - - P48

Hyundai

- Hyundai - - - - - P49

Russian Car

- GAZ - - - - - P50
- Lada - - - - - P51
- Other - - - - - P52

MercedesBenz

- Sprinter - - - - - P53

Fiat

- Fiat - - - - - P54

GM


- GM8.5' - - - - - P55
- GM8.75' - - - - - P56

JEEP

- JK & JL D30 - - - - - P57
- JK D44 - - - - - P58
- JL D44 - - - - - P59

South American Car

- Other - - - - - P60



Hilux / Hiace



8:39B rear



OD: 204mm
ID: 126mm
TH: 27mm
Length: 215mm
Spline: 27T

8:39 rear



OD: 204mm
ID: 126mm
TH: 35mm
Length: 215mm
Spline: 27T

8:41 rear



OD: 204mm
ID: 126mm
TH: 35mm
Length: 215mm
Spline: 27T

8:43 rear



OD: 204mm
ID: 126mm
TH: 36.5mm
Length: 215mm
Spline: 27T

9:41 rear




OD: 204mm
ID: 126mm
TH: 33.5mm
Length: 215mm
Spline: 29T

9:41 rear



OD: 204mm
ID: 126mm
TH: 33mm
Length: 215mm
Spline: 27T



Hilux / Hiace



9:41 rear



OD: 204mm
ID: 126mm
TH: 33.5mm
Length: 215mm
Spline: 29T

9:41 rear



OD: 204mm
ID: 126mm
TH: 33mm
Length: 215mm
Spline: 27T

9:41 front



OD: 204mm
ID: 126mm
TH: 33mm
Length: 205mm
Spline: 29T

10:41 front



OD: 204mm
ID: 126mm
TH: 31mm
Length: 215mm
Spline: 29T

10:41 rear




OD: 204mm
ID: 126mm
TH: 31mm
Length: 215mm
Spline: 29T

10:41 rear



OD: 204mm
ID: 126mm
TH: 31mm
Length: 215mm
Spline: 27T



Hilux / Hiace



10:43 rear



OD: 204mm
ID: 126mm
TH: 32.5mm
Length: 215mm
Spline: 29T

10:43 rear



OD: 204mm
ID: 126mm
TH: 31.5mm
Length: 216mm
Spline: 27T

10:43 front



OD: 203mm
ID: 126mm
TH: 33mm
Length: 215mm
Spline: 29T

10:43 front



OD: 204mm
ID: 126mm
TH: 32mm
Length: 205mm
Spline: 29T

11:41 rear




OD: 204mm
ID: 126mm
TH: 29mm
Length: 215mm
Spline: 29T

11:41 rear



OD: 204mm
ID: 126mm
TH: 30mm
Length: 215mm
Spline: 27T



Hilux / Hiace



11:41 Front



OD: 204mm
ID: 126mm
TH: 36.5mm
Length: 205mm
Spline: 29T

11:43 Rear



OD: 204mm
ID: 126mm
TH: 31mm
Length: 215mm
Spline: 27T

12:43 Rear




OD: 204mm
ID: 126mm
TH: 27mm
Length: 215mm
Spline: 29T

12:43 Front



OD: 204mm
ID: 126mm
TH: 35mm
Length: 204mm
Spline: 29T



Land Cruiser



9:37 Rear



OD: 204mm
ID: 138mm
TH: 29mm
Length: 203mm
Spline: 27T

9:37B Rear



OD: 240mm
ID: 138mm
TH: 29.5mm
Length: 203mm
Spline: 27T

10:41 Rear



OD: 240mm
ID: 138mm
TH: 29mm
Length: 205mm
Spline: 27T

10:41 Rear



OD: 240mm
ID: 150mm
TH: 36mm
Length: 205mm
Spline: 32T

10:43 Rear




OD: 240mm
ID: 150mm
TH: 37mm
Length: 218mm
Spline: 32T

10:37 Rear



OD: 240mm
ID: 138mm
TH: 26.5mm
Length: 204mm
Spline: 27T



Land Cruiser




10:37B Rear



OD: 240mm
ID: 138mm
TH: 26.7mm
Length: 203mm
Spline: 27T





DAIHATSU



7:39 Rear




OD: 290mm
ID: 160mm
TH: 41mm
Length: 251mm
Spline: 19T

7:41 Rear



OD: 290mm
ID: 160mm
TH: 42mm
Length: 252mm
Spline: 19T





Coaster



6:37 Rear



OD: 265mm
ID: 167mm
TH: 39mm
Length: 214mm
Spline: 19T

6:41 Rear



OD: 263mm
ID: 167mm
TH: 40mm
Length: 214mm
Spline: 19T

7:39 Rear



OD: 265mm
ID: 167mm
TH: 38mm
Length: 213mm
Spline: 19T

7:41 Rear



OD: 262mm
ID: 167mm
TH: 38mm
Length: 213mm
Spline: 19T

7:43 Rear




OD: 263mm
ID: 167mm
TH: 39mm
Length: 214mm
Spline: 19T

8:43 Rear



OD: 264mm
ID: 167mm
TH: 37mm
Length: 214mm
Spline: 19T



Coaster



8:45 Rear



OD: 263.5mm

ID: 167mm


TH: 37mm

Length: 214mm

Spline: 19T



• CONQUER 4X4 •



14B



6:37 Rear



OD: 304mm
ID: 200mm
TH: 41mm
Length: 222mm
Spline: 19T

6:39 Rear




OD: 304mm
ID: 200mm
TH: 41mm
Length: 223mm
Spline: 19T

6:41 Rear



OD: 304mm
ID: 200mm
TH: 43mm
Length: 223mm
Spline: 19T



F50 series



11:37 Rear




OD: 202mm
ID: 133mm
TH: 28mm
Length: 201mm
Spline: 16T

11:39 Rear



OD: 201mm
ID: 133mm
TH: 29mm
Length: 203mm
Spline: 16T





Townace




10:43 Rear



OD: 178mm
ID: 104mm
TH: 27mm
Length: 212mm
Spline: 23T





Revo




11:37 Rear



OD: 224mm
ID: 141mm
TH: 34mm
Length: 208mm
Spline: 34T



• CONQUER 4X4 •



Other



6:37 Rear



OD: 304mm
ID: 165mm
TH: 42mm
Length: 243mm
Spline: 10T





PS100



6:37 Rear



OD: 290mm
ID: 175mm
TH: 45mm
Length: 245mm
Spline: 14T

6:40 Rear



OD: 290mm
ID: 175mm
TH: 46.5mm
Length: 245mm
Spline: 14T

7:37 Rear



OD: 289mm
ID: 175mm
TH: 43mm
Length: 246mm
Spline: 14T

7:40 Rear



OD: 289mm
ID: 176mm
TH: 44mm
Length: 245mm
Spline: 14T

6:37 Rear



OD: 300mm
 ID: 175mm
 TH: 46mm
 Length: 209mm
 Spline: 18T

6:40 Rear



OD: 302.5mm
 ID: 175mm
 TH: 47mm
 Length: 209mm
 Spline: 18T

7:40 Rear



OD: 302.5mm
 ID: 175mm
 TH: 45mm
 Length: 209mm
 Spline: 18T



PS135



6:38 Rear



OD: 335mm
ID: 200mm
TH: 47mm
Length: 221mm
Spline: 20T

6:40 Rear



OD: 334mm
ID: 200mm
TH: 48mm
Length: 220mm
Spline: 20T

9:40 Rear



OD: 340mm
ID: 200mm
TH: 43.5mm
Length: 221mm
Spline: 20T
Bolt: 16.5mm

9:40 Rear



OD: 340mm
ID: 200mm
TH: 43mm
Length: 221mm
Spline: 20T
Bolt: 14.5mm

6:38 Rear



OD: 150mm
ID: 200mm
TH: 47mm
Length: 227mm
Spline: 22T

6:40 Rear



OD: 350mm
ID: 200mm
TH: 49mm
Length: 227mm
Spline: 22T

9:40 Rear



OD: 351mm
ID: 200mm
TH: 38mm
Length: 225mm
Spline: 22T



PS190



6:37 Rear




OD: 407mm
ID: 224mm
TH: 51mm
Length: 267mm
Spline: 16T

6:40 Rear



OD: 408mm
ID: 224mm
TH: 52mm
Length: 267mm
Spline: 16T



• CONQUER 4X4 •

6:40 Rear



OD: 432mm
ID: 244mm
TH: 55mm
Length: 287mm
Spline: 16T

6:40 Front



OD: 430mm
ID: 244mm
TH: 55mm
Length: 296mm
Spline: 16T





Fuso, 6D16



8:39 Rear



OD: 343mm
ID: 200mm
TH: 40mm
Length: 221mm
Spline: 20T
Bolt: 14.5mm

8:39 Rear



OD: 343mm
ID: 200mm
TH: 40mm
Length: 221mm
Spline: 20T
Bolt: 16.5mm



11:45 Rear



OD: 227mm
ID: 153mm
TH: 40.5mm
Length: 214.5mm
Spline: 25T

11:45 Front



OD: 199mm
ID: 124mm
TH: 36mm
Length: 211mm
Spline: 25T

11:51 Rear



OD: 201mm
ID: 124mm
TH: 38mm
Length: 210mm
Spline: 25T

11:51 Rear



OD: 200mm
ID: 124mm
TH: 39mm
Length: 211mm
Spline: 25T

11:51 Rear



OD: 228mm
ID: 145mm
TH: 43mm
Length: 216mm
Spline: 25T

11:45 Front



OD: 182mm
ID: 112mm
TH: 31mm
Length: 190mm
Spline: 25T

12:47 Rear



OD: 239mm
ID: 145mm
TH: 39mm
Length: 219.5mm
Spline: 27T

12:47 Front



OD: 201mm
ID: 124mm
TH: 35mm
Length: 210mm
Spline: 25T

•CONQUER 4X4•

7:37 Rear



OD: 200mm
ID: 125mm
TH: 41mm
Length: 211.5mm
Spline: 25T

7:40 Rear



OD: 200mm
ID: 124mm
TH: 43mm
Length: 212mm
Spline: 25T





NPR



6: 35 Rear



OD: 288mm
ID: 200mm
TH: 39.5mm
Length: 225mm
Spline: 18T

6:37 Rear



OD: 291mm
ID: 200mm
TH: 40mm
Length: 225mm
Spline: 18T

6: 38 Rear



OD: 291mm
ID: 200mm
TH: 41mm
Length: 225mm
Spline: 18T

6:39 Rear



OD: 291mm
ID: 200mm
TH: 41mm
Length: 225mm
Spline: 18T

7: 39 Rear



OD: 290mm
ID: 200mm
TH: 38mm
Length: 225mm
Spline: 18T

7:41 Rear



OD: 291mm
ID: 200mm
TH: 39.5mm
Length: 221mm
Spline: 18T
bolt: 12mm



NPR



7:41 Rear



OD: 291mm
ID: 200mm
TH: 40mm
Length: 225.5mm
Spline: 18T
Bolt: 14mm

7:43 Rear



OD: 291mm
ID: 200mm
TH: 40mm
Length: 225mm
Spline: 18T
Bolt: 14mm

7:43 Rear



OD: 291mm
ID: 200mm
TH: 40mm
Length: 225mm
Spline: 18T
Bolt: 12mm

7:43 Rear



OD: 291mm
ID: 200mm
TH: 40mm
Length: 222mm
Spline: 17T

8:39 Rear



OD: 291mm
ID: 200mm
TH: 37.5mm
Length: 225mm
Spline: 18T

8:43 Rear



OD: 289mm
ID: 200mm
TH: 38mm
Length: 225mm
Spline: 18T



NPR



9:37 Rear



OD: 291mm
ID: 200mm
TH: 41.5mm
Length: 225mm
Spline: 18T

9:37B Rear



OD: 291mm
ID: 200mm
TH: 38mm
Length: 225mm
Spline: 18T

9:39 Rear



OD: 291mm
ID: 200mm
TH: 38mm
Length: 225mm
Spline: 18T

10:43 Rear



OD: 194mm
ID: 122mm
TH: 33mm
Length: 207mm
Spline: 13T

11:41 Rear



OD: 290mm
ID: 200mm
TH: 39mm
Length: 225mm
Spline: 18T

11:41 Rear



OD: 290mm
ID: 200mm
TH: 39mm
Length: 200mm
Spline: 25T




NPR



6:41 Rear



OD: 291mm
ID: 200mm
TH: 41.5mm
Length: 225.5mm
Spline: 18T





NHR



7:39 Rear



OD: 244mm
ID: 154mm
TH: 34mm
Length: 232mm
Spline: 17T





TFR



10:41 Rear



OD: 193mm
ID: 122mm
TH: 33mm
Length: 205mm
Spline: 13T

9:41B Rear



OD: 193mm
ID: 123mm
TH: 34.5mm
Length: 205mm
Spline: 13T

• CONQUER 4X4 •



NKR



6:41 Rear



OD: 319mm
ID: 200mm
TH: 50mm
Length: 241mm
Spline: 16T

6:39 Rear



OD: 319mm
ID: 200mm
TH: 49mm
Length: 242mm
Spline: 16T

7:41 Rear



OD: 319mm
ID: 200mm
TH: 47mm
Length: 242mm
Spline: 16T

7:43 Rear



OD: 320mm
ID: 200mm
TH: 48mm
Length: 242mm
Spline: 16T



FSR



Ø : 41 Rear



OD : 362mm
ID : 220mm
TH : 50mm
Length: 242.5mm
Spline: 16T





FTR



6:39 Rear



OD: 395mm
ID: 240mm
TH: 53mm
Length: 267mm
Spline: 18T

7:39 Rear



OD: 395mm
ID: 240mm
TH: 50mm
Length: 267mm
Spline: 18T

7:43 Rear



OD: 394mm
ID: 241mm
TH: 54mm
Length: 268mm
Spline: 18T



FVR



6:39 Rear



OD: 415mm
ID: 260mm
TH: 52.5mm
Length: 277mm
Spline: 18T

7:39 Rear



OD: 415mm
ID: 260mm
TH: 49mm
Length: 278mm
Spline: 18T





FRR



7:38 Rear



OD: 343mm
ID: 192mm
TH: 43mm
Length: 232mm
Spline: 16T

7:41 Rear



OD: 340mm
ID: 192mm
TH: 43mm
Length: 231mm
Spline: 16T

7:43 Rear



OD: 339mm
ID: 192mm
TH: 42mm
Length: 232mm
Spline: 16T



HT130



6 : 41 Rear



OD: 340mm
ID: 191mm
TH: 46mm
Length: 244mm
Spline: 25T

7:45 Rear



OD: 342mm
ID: 191mm
TH: 55mm
Length: 244mm
Spline: 25T



6:43 Rear



OD: 340mm
ID: 192mm
TH: 66mm
Length: 252mm
Spline: 14T

6:41 Rear



OD: 332mm
ID: 191mm
TH: 65mm
Length: 251mm
Spline: 14T

7:39 Rear



OD: 334mm
ID: 191mm
TH: 61mm
Length: 251mm
Spline: 14T

7:41 Rear



OD: 332mm
ID: 191mm
TH: 62mm
Length: 251mm
Spline: 14T

10:41 Rear



OD: 332mm
ID: 191mm
TH: 52mm
Length: 251mm
Spline: 14T

6:38 Rear



OD: 335mm
ID: 191mm
TH: 63mm
Length: 251mm
Spline: 14T

7:37 Rear



OD: 330mm
ID: 191mm
TH: 59.5mm
Length: 251.5mm
Spline: 14T

7:40 Rear



OD: 335mm
ID: 191mm
TH: 63mm
Length: 252mm
Spline: 14T





Other



6:41 Rear



OD: 340mm
ID: 191mm
TH: 56mm
Length: 244mm
Spline: 25T

6:41 Rear



OD: 440mm
ID: 240mm
TH: 64mm
Length: 300mm
Spline: 29T

7:43 Rear



OD: 440mm
ID: 240mm
TH: 61mm
Length: 300mm
Spline: 29T

7:45 Rear



OD: 440mm
ID: 240mm
TH: 61.5mm
Length: 298mm
Spline: 29T

7:41 Front



OD: 450mm
ID: 239mm
TH: 68mm
Length: 298mm
Spline: 34T

7:45 Rear




OD: 450mm
ID: 260mm
TH: 63mm
Length: 297mm
Spline: 34T

7:45 Front



OD: 450mm
ID: 265mm
TH: 63mm
Length: 298mm
Spline: 34T





Samurai



Ø:43 Rear



OD: 176mm
ID: 108mm
TH: 36mm
Length: 200mm
Spline: 26T



• CONQUER 4X4 •



Vitara



8:41 Rear



OD: 190mm
ID: 118mm
TH: 32mm
Length: 200mm
Spline: 26T





Other



8:43 Rear



OD: 179mm
ID: 114mm
TH: 35mm
Length: 203mm
Spline: 26T

10:43 Rear



OD: 179mm
ID: 114mm
TH: 31mm
Length: 203mm
Spline: 26T

6:41 Rear



OD: 162mm
ID: 100mm
TH: 29mm
Length: 155mm
Spline: 18T



Z24



9:37 Rear



OD: 258.5mm
ID: 165mm
TH: 36.5mm
Length: 275mm
Spline: 29T






Patrol



10:37 Rear



OD: 176mm
ID: 108mm
TH: 36mm
Length: 200mm
Spline: 26T





T3500



7:46 Rear



OD: 302mm
ID: 200mm
TH: 36mm
Length: 216mm
Spline: 31T






K2700



9:40 Rear



OD: 203mm
ID: 123mm
TH: 32.8mm
Length: 201mm
Spline: 28T





Other



9:40 Rear



OD: 203mm
ID: 121mm
TH: 40mm
Length: 207mm
Spline: 29T

6:43 Rear



OD: 328mm
ID: 216mm
TH: 50mm
Length: 231mm
Spline: 37T

7:46A Rear



OD: 328mm
ID: 216mm
TH: 49mm
Length: 231mm
Spline: 37T

7:43 Rear



OD: 302mm
ID: 200mm
TH: 34mm
Length: 216mm
Spline: 31T

9:40 Rear



OD: 183mm
ID: 108mm
TH: 37mm
Length: 202mm
Spline: 28T

6:37 Rear




OD: 300mm
ID: 175mm
TH: 46mm
Length: 246mm
Spline: 14T

6:40 Rear



OD: 300mm
ID: 175mm
TH: 47mm
Length: 246mm
Spline: 14T

•CONQUER 4X4•



GAZ



8:41 Rear



OD : 221mm
ID : 125mm
TH : 45.7mm
Length: 218.5mm
Spline: 28T

9:41 Rear



OD : 222mm
ID : 125mm
TH : 45mm
Length: 219.8mm
Spline: 10T

10:43 Rear




OD : 221.8mm
ID : 125mm
TH : 41.8mm
Length: 218.5mm
Spline: 28T

12:43 Rear



OD : 223mm
ID : 125mm
TH : 39.4mm
Length: 216.3mm
Spline: 28T



Lada




11:43 Rear



OD: 164mm
ID: 96mm
TH: 24mm
Length: 185mm
Spline: 6T



• CONQUER 4X4 •



Other



8:37 Rear



OD: 219mm
ID: 125mm
TH: 25mm
Length: 173mm
Spline: 10T






Sprinter



8:35 Rear



OD: 213mm
ID: 127mm
TH: 34mm
Length: 194mm
Spline: 28T





Fiat



10:41 Rear



OD: 184mm
ID: 109mm
TH: 31mm
Length: 201mm
Spline: 30T





GM0.5'



12:41 Rear



OD: 217mm
ID: 127mm
TH: 39mm
Length: 224mm
Spline: 30T



A large circular gear with many teeth is shown above a smaller shaft gear assembly. The shaft gear is mounted on a shaft with a splined end.

OD: 225mm
ID: 138mm
TH: 35mm
Length: 207mm
Spline: 30T



Jeep JK & JL D30



9:41 Front



OD: 182mm
ID: 114mm
TH: 33.6mm
Length: 183mm
Spline: 24T
Type: 5cut

10:41 Front



OD: 182mm
ID: 114mm
TH: 31mm
Length: 183mm
Spline: 24T
Type: 2cut

9 / 41 Front



OD: 182mm
ID: 114mm
TH: 33.6mm
Length: 183mm
Spline: 24T
Type: 2cut

9:41 Rear



OD: 224mm
ID: 141mm
TH: 40.5mm
Length: 223mm
Spline: 24T
Type: 5cut

10:41 Rear



OD: 225mm
ID: 141mm
TH: 38mm
Length: 223.5mm
Spline: 24T
Type: 2cut

9 / 41 Rear



OD: 225mm
ID: 141mm
TH: 40.5mm
Length: 223.5mm
Spline: 24T
Type: 2cut

9:41 Front



OD: 210.7mm
ID: 134.5mm
TH: 40mm
Length: 196mm
Spline: 28T
Type: 2cut

10:41 Rear



OD: 220mm
ID: 134.5mm
TH: 37.8mm
Length: 200mm
Spline: 28T
Type: 2cut

9:41 Rear



OD: 220mm
ID: 134.5mm
TH: 40.5mm
Length: 200mm
Spline: 28T
Type: 2cut

South American car

Rear



OD: 223mm
ID: 138mm
TH: 28mm
Length: 207mm
Spline: 30T

Rear



OD: 193mm
ID: 117.5mm
TH: 36mm
Length: 207mm
Spline: 27T

Rear



OD: 207mm
ID: 127mm
TH: 33mm
Length: 214mm
Spline: 25T

Rear



OD: 193mm
ID: 117.5mm
TH: 36mm
Length: 207mm
Spline: 27T

Rear



OD: 223mm
ID: 138mm
TH: 34mm
Length: 205mm
Spline: 30T

Rear



OD: 207mm
ID: 127mm
TH: 31.5mm
Length: 213mm
Spline: 25T

South American car

Rear



OD: 224mm
ID: 138mm
TH: 31mm
Length: 207mm
Spline: 30T

Rear



OD: 207mm
ID: 127mm
TH: 31mm
Length: 212.5mm
Spline: 25T

Rear



OD: 203mm
ID: 127mm
TH: 40mm
Length: 218mm
Spline: 25T

Rear



OD: 203mm
ID: 127mm
TH: 38mm
Length: 218mm
Spline: 25T

Rear



OD: 203mm
ID: 127mm
TH: 36mm
Length: 218mm
Spline: 25T



Conquer 4x4 Co.,Ltd

Web: www.conquer4x4.com/www.crownandpinion.com

Email: Info@conquer4x4.com

**Add: Building 2, No. 315, Weichang Rd. Baoshan Dist.
Shanghai 310113**