




**Depart, Explore, Conquer**  
**Define yourself, Reward your life**



[www.conquer4x4.com](http://www.conquer4x4.com)




Conquer 4x4 Co.,Ltd

[www.conquer4x4.com](http://www.conquer4x4.com)

**Conquer4x4 Co., Ltd, one subsidiaries of Conquer Group, has our own brand “conquer4x4” . As an independently managed and independently operated company, Conquer4x4 mainly manufacture and sell axle shaft, diff(LSD, Elocker diff, air locker diff), crown and pinion.**

**Conquer4x4 Always adheres to the company's slogan “ Depart, explore, Conquer, Define yourself, Reward your life” , committing to provide high – performance, reliable and high quality parts. It is our honor if our our parts could bring you more fun and experience during your adventure.**



# CONTENTS

---

|                            |    |
|----------------------------|----|
| CHRYSLER or JEEP           | 1  |
| HOLDEN                     | 3  |
| NISSAN                     | 4  |
| ISUZU                      | 5  |
| SANTANA                    | 6  |
| SUZUKI                     | 7  |
| MERCEDES BENZ              | 8  |
| VOLKSWAGEN                 | 9  |
| TOYOTA/LEXUS               | 10 |
| DODGE                      | 11 |
| MITSUBISHI                 | 12 |
| Chevrolet or GMC or Hummer | 13 |
| SSANGYONG                  | 14 |
| LAND ROVER                 | 15 |
| KIA                        | 16 |
| HYUNDAI                    | 17 |
| FORD                       | 18 |
| MAHINDAR                   | 19 |
| MAZDA                      | 20 |
| UAZ                        | 21 |
| GREAT WALL                 | 22 |

RD refers to the locker is  
AIR LOCKING DIFFERENTIAL



ET refers to the locker is  
ELECTRIC LOCKING DIFFERENTIAL



EL refers to the locker is  
E-LOCKING DIFF and LSD 2 in 1.





# CHRYSLER or JEEP



| Vehicle/Model                                                                                | Axle Loc'n | Year       | Description                                | Shaft Diameter | Shaft Spline | Ratio                               | Air locker              | E-locker                | Elocker +LSD            |
|----------------------------------------------------------------------------------------------|------------|------------|--------------------------------------------|----------------|--------------|-------------------------------------|-------------------------|-------------------------|-------------------------|
| CJ(5,6,7&8),<br>YJ & TJ Wrangler,<br>XJ Cherokee,<br>XJ Wagoneer,<br>WJ Grand Cherokee<br>ZJ | Front      | 1971 on    | Dana 30                                    | 29.5 (1.16")   | 27           | 3.73 & UP<br>3.54 & DN<br>3.55-3.72 | RD100<br>RD101<br>RD310 | ET100<br>ET101<br>ET310 | EL100<br>EL101<br>EL310 |
|                                                                                              |            | 2003 on    | TJ Wrangler Rubicon w/OEM 4.10:1 gears     | 33.3 (1.31")   | 30           | 4.10:1                              | RD117                   | ET117                   | EL117                   |
|                                                                                              |            | 1993-2004  | Dana 44A,ZJ C-clip;WJ non C-clip           | 33.3 (1.31")   | 30           | ALL                                 | RD226                   | ET226                   | EL226                   |
|                                                                                              | Rear       | 2003 on    | TJ Wrangler Rubicon w/OEM 4.10:1 gears     | 33.3 (1.31")   | 30           | 4.10:1                              | RD117                   | ET117                   | EL117                   |
|                                                                                              |            | 1990 on    | Dana35 Cclip,XJ,YJ,ZJ,TJ,WJ                | 29.5 (1.16")   | 27           | 2.73-3.31<br>3.54 & UP              | RD103<br>RD102          | ET103<br>ET102          | EL103<br>EL102          |
|                                                                                              |            | 1997-00    | Chrysler 8.25" dia.RG C-clip               | 30.7 (1.21")   | 29           | ALL                                 | RD93                    | ET93                    | EL93                    |
|                                                                                              |            | 2007 on    | LK4.7                                      | 30.7 (1.21")   | 29           | ALL                                 | RD93-2                  | ET93-2                  | EL93-2                  |
|                                                                                              |            | To-1996    | Chrysler 8.25" dia.RG C-clip               | 29.5 (1.16")   | 27           | ALL                                 | RD112                   | ET112                   | EL112                   |
|                                                                                              |            | 1997 on    | Dana 44,TJ model only3                     | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
|                                                                                              |            | 1985-89    | Dana35, nonC-clip                          | 29.5 (1.16")   | 27           | 3.54 & UP<br>2.73-3.31              | RD102<br>RD103          | ET102<br>ET103          | EL102<br>EL103          |
|                                                                                              |            | 1987-89    |                                            | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
|                                                                                              |            | 1986-91    | Dana 44,XJ wl metric ton                   | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
|                                                                                              |            | 1969-75,86 | Dana 44-3R                                 | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
|                                                                                              |            | 1966-68    | Dana 44-R                                  | 31.8 (1.25")   | 19           | 3.92 & UP<br>3.73 & DN              |                         | DE<br>DE                |                         |
|                                                                                              |            | 2010       | WK 3.7L Petrol                             | 30.7 (1.21")   | 29           | ALL                                 | RD93                    | ET93                    | EL93                    |
|                                                                                              |            | 2008       | 4.7 Grand Cherokee LK                      |                |              |                                     | RD93-2                  | ET93-2                  | EL93-2                  |
|                                                                                              |            | 2021on     | WK2 3.0 3.6 FWD welding                    |                |              |                                     | RD535                   | ET535                   | EL535                   |
| Full Size AMC<br>Cherokee,<br>Grand Wagoneer                                                 | Front      | 1974-93    | Dana M44-1F                                | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
|                                                                                              |            | 1971-73    | Dana 30                                    | 29.5 (1.16")   | 27           | 3.73 & UP<br>3.54 & DN              | RD100<br>RD101          | ET100<br>ET101          | EL100<br>EL101          |
|                                                                                              | Rear       | 1986-93    | Dana 44                                    | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
|                                                                                              |            | 1969-79    | Dana M44-3R                                | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
|                                                                                              |            | 1980-86    | AMC Model 20, 8.875" dia RG                | 31.8 (1.25")   | 29           | 3.08 & UP<br>2.73 & DN              | RD186<br>RD187          | ET186<br>ET187          | EL186<br>EL187          |
|                                                                                              |            | 1966-69    | Dana M44-R                                 | 31.8 (1.25")   | 19           | 3.92 & UP<br>3.73 & DN              |                         | DE<br>DE                |                         |
|                                                                                              | Front      | 1971-88    | Dana M44-1F                                | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
|                                                                                              |            | 1970-88    | Dana M44-R                                 | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
| J10,Light Truck,<br>FC150, 170,<br>Honcho                                                    | Rear       | 1980-88    | AMC Model 20, 8.875" dia RG                | 31.8 (1.25")   | 29           | 3.08 & UP<br>2.73 & DN              | RD186<br>RD187          | ET186<br>ET187          | EL186<br>EL187          |
|                                                                                              |            | 1969-73    | Dana M44-R                                 | 31.8 (1.25")   | 19           | 3.92 & UP<br>3.73 & DN              |                         | DE<br>DE                |                         |
|                                                                                              | Front      | 1970-88    | Dana M44-1F                                | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN              | RD116<br>RD117          | ET116<br>ET117          | EL116<br>EL117          |
|                                                                                              |            | 1974-88    | Dana M60-3R                                | 33.3 (1.31")   | 30           | 4.56 & UP<br>4.10 & DN              | RD162<br>RD163          | ET162<br>ET163          | EL162<br>EL163          |
| J20,Medium<br>Truck<br>J30,Heavy Truck                                                       | Rear       | 1969-73    | Dana M60-2R                                | 38.1 (1.50")   | 35           | 4.56 & UP<br>4.10 & DN              | RD166<br>RD167          | ET166<br>ET167          | EL166<br>EL167          |
|                                                                                              |            |            |                                            |                |              | 3.73 & UP<br>3.54 & DN              | RD100<br>RD101          | ET100<br>ET101          | EL100<br>EL101          |
| JK Wrangler<br>(not Rubicon<br>models)                                                       | Front      | 2007on     | Dana 30                                    | 29.5 (1.16")   | 27           | 3.73 & UP<br>3.54 & DN              | RD100<br>RD101          | ET100<br>ET101          | EL100<br>EL101          |
|                                                                                              | Rear       | 2007 on    | Dana 44                                    | 33.3 (1.31")   | 30           | ALL                                 | RD117                   | ET117                   | EL117                   |
| JK Wrangler<br>Rubicon                                                                       | Front      | 2007 on    | replacement for 32 SPL Rock-Trac e-locker  | 38.1 (1.50")   | 35           | ALL                                 | RD157                   | ET157                   | EL157                   |
|                                                                                              | Rear       |            |                                            | 38.1 (1.50")   | 35           | ALL                                 | RD157                   | ET157                   | EL157                   |
| KJ,kk,Jeep Liberty<br>Cherokee                                                               | Front      | 2001 on    | Dana 30 IFS                                | 29.5 (1.16")   | 27           | 3.73 & UP<br>3.54 & DN              | RD100<br>RD101          | ET100<br>ET101          | EL100<br>EL101          |
|                                                                                              | Rear       | 2001 on    | Chrysler 8.25" dia.RG,C-clip               | 30.7 (1.21")   | 29           | ALL                                 | RD93                    | ET93                    | EL93                    |
| WK/WH Grand<br>Cherokee<br>XK/XH<br>Commander                                                | Front      | 2005-10    |                                            |                |              |                                     |                         | DE                      |                         |
|                                                                                              |            |            | Chrysler8.25" dia.RG, non-C-Clip           | 30.7 (1.21")   | 29           | ALL                                 | RD93-1                  | ET93-1                  | EL93-1                  |
| WK2/WH2<br>Grand<br>Cherokee                                                                 | Rear       | 2005- 10   | Dana 44A,(WK/WH:SRT8 only; XK/XH:2WD only) | 33.3 (1.31")   | 30           | ALL                                 | RD226                   | ET226                   | EL226                   |
|                                                                                              | Front      | 2011 on    |                                            |                |              |                                     |                         | DE                      |                         |
| JL Wrangler<br>(not Rubicon<br>models)                                                       | Front      | 2018 on    | Dana M186 (Dana 30)                        | 29.5 (1.16")   | 27           | ALL                                 | RD100                   | ET100                   | EL100                   |
|                                                                                              |            |            | Dana M210                                  | 35.8 (1.41")   | 32           | ALL                                 | RD245                   | ET245                   | EL245                   |
|                                                                                              | Rear       | 2018 on    | Dana M200                                  | 31.5 (1.24")   | 29           | ALL                                 | RD244                   | ET244                   | EL244                   |
|                                                                                              |            |            | Dana M220                                  | 35.8 (1.41")   | 32           | ALL                                 | RD245                   | ET245                   | EL245                   |



# CHRYSLER or JEEP



| Vehicle/Model           | Axle Loc'n | Year    | Description                      | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Elocker +LSD |
|-------------------------|------------|---------|----------------------------------|----------------|--------------|-------|------------|----------|--------------|
| JL Wrangler<br>Rubicon  | Front      | 2018 on | Dana M210, axle upgrade required | 38.1 (1.50")   | 35           | ALL   | RD246      | ET246    | EL246        |
|                         | Rear       | 2018 on | Dana M220, axle upgrade required | 38.1 (1.50")   | 35           | ALL   | RD246      | ET246    | EL246        |
| JT Gladiator            | Front      | 2019 on | Dana M210                        | 35.8 (1.41")   | 32           | ALL   | RD245      | ET245    | EL245        |
|                         | Rear       | 2019 on | Dana M220                        | 35.8 (1.41")   | 32           | ALL   | RD245      | ET245    | EL245        |
| JT Gladiator<br>Rubicon | Front      | 2019 on | Dana M210, axle upgrade required | 38.1 (1.50")   | 35           | ALL   | RD246      | ET246    | EL246        |
|                         | Rear       | 2019 on | Dana M220, axle upgrade required | 38.1 (1.50")   | 35           | ALL   | RD246      | ET246    | EL246        |





# HOLDEN



| Vehicle/Model                                | Axle Loc'n | Year    | Description                    | Shaft Diameter | Shaft Spline | Ratio     | Air locker | E-locker | Elocker +LSD |
|----------------------------------------------|------------|---------|--------------------------------|----------------|--------------|-----------|------------|----------|--------------|
| Holden Jackaroo                              | Front      | 1988 on | Independent suspension(IFS)    | 28.4 (1.12")   | 17           | ALL       | RD203      | ET203    | EL203        |
|                                              | Rear       | 1987-91 | Turbo diesel & V6 petrol only  | 33.5 (1.32")   | 26           | ALL       | RD213      | ET213    | EL213        |
|                                              |            | 1993-97 | ALL models                     | 33.5 (1.32")   | 26           | ALL       | RD213      | ET213    | EL213        |
|                                              |            | 1998-99 | Non-LSD Models                 | 38.1 (1.50")   | 23           | ALL       | DE         |          |              |
|                                              |            | 2000 on |                                | 38.1 (1.50")   | 23           | ALL       | DE         |          |              |
| Holden Rodeo/Colorado, Colorado7/Trailblazer | Front      | 1988 on | Independent suspension(IFS)    | 28.4(1.12")    | 17           | ALL       | RD203      | ET203    | EL203        |
|                                              | Rear       | 2012 on | AAM 760,IFS                    | 30.5 (1.20")   | 28           | ALL       | RD148      | ET148    | EL148        |
|                                              |            | 1987-91 | 4x4 diesel & 4x2 diesel models | 33.5 (1.32")   | 26           | ALL       | RD213      | ET213    | EL213        |
|                                              |            | 1993 on | ALL models including 4x2       | 33.5 (1.32")   | 26           | ALL       | RD213      | ET213    | EL213        |
|                                              |            | 2012 on | AAM 860 (8.6")                 | 33.3 (1.31")   | 30           | ALL       | RD222      | ET222    | EL222        |
| Holden Frontera/Sport                        | Front      | 1990 on | Independent suspension(IFS)    | 28.4 (1.12")   | 17           | ALL       | RD203      | ET203    | EL203        |
|                                              | Rear       | 1999 on | Dana 44                        | 33.3 (1.31")   | 30           | 4.56 & UP | RD117      | ET117    | EL117        |
|                                              |            |         |                                |                | 30           | 4.13 & DN | RD117      | ET117    | EL117        |
| Holden Suburban                              | Rear       | 1998 on | 1500 petrol engine             | 33.3 (1.31")   | 30           | 2.73 & UP | RD222      | ET222    | EL222        |
|                                              |            |         | 2500 petrol engine             |                | 30           |           | DE         |          |              |





# NISSAN




| Vehicle/Model              | Axle Loc'n         | Year    | Description                                                               | Shaft Diameter          | Shaft Spline | Ratio                  | Air locker              | E-locker                | Elocker +LSD             |
|----------------------------|--------------------|---------|---------------------------------------------------------------------------|-------------------------|--------------|------------------------|-------------------------|-------------------------|--------------------------|
| Navara, Terrano, D21.D22   | Front              | 1986-15 | R180A,8 bolt RG,(4 cyl.)                                                  | 27.8 (1.09")            | 27           | ALL                    | RD182                   | ET182                   | EL182                    |
|                            |                    | 1986-03 | R200A, 10bolt RG, (6 cyl.)                                                | 30.4 (1.20")            | 29           | ALL                    | RD202                   | ET202                   | EL202                    |
|                            | Rear               | 1986 on | H233B, 31 spline, (6 cyl.)                                                | 32.0 (1.26")            | 31           | ALL                    | RD136                   | ET136                   | EL136                    |
|                            |                    | 1986-97 | H233B,33 spline, (6 cyl.)                                                 | 33.3 (1.31")            | 33           | ALL                    | RD135                   | ET135                   | EL135                    |
|                            |                    | 2002 on | C200,29 spline, (4 cyl.)                                                  | 30.4 (1.20")            | 29           | ALL                    | RD202                   | ET202                   | EL202                    |
| Navara,NP300, D23          | Front              | 2015 on | R180A, 10 bolt RG                                                         | 30.8 (1.21")            | 30           | 3.69 & UP              | RD230                   | ET230                   | EL230                    |
|                            | Rear               | 2015 on | R180A 10 bolt RG bearing ID46mm Bearing ALL                               | 30.8 (1.21")            | 30           | 3.54 & DN              | RD231                   | ET231                   | EL231                    |
| Navara D40                 | Front              | 2005 on | R180A, 10 bolt RG                                                         | 27.8 (1.09")            | 27           | 3.69 & UP              | RD180                   | ET180                   | EL180                    |
|                            | Rear               | 2005 on | D40,M226, 10 bolt RG (Spain made)<br>D40,M226, 12 bolt RG (Thailand made) | 35.8 (1.41")            | 32           | 3.54 & DN<br>ALL       | RD181<br>RD149<br>RD159 | ET181<br>ET149<br>ET159 | EEL181<br>EL149<br>EL159 |
| Frontier D40, Xterra N50   | Front              | 2005 on | R180A, 10 bolt RG                                                         | 27.8 (1.09")            | 27           | 3.69 & UP<br>3.54 & DN | RD180<br>RD181          | ET180<br>ET181          | EL180<br>EL181           |
|                            | Rear               | 2005 on | D40,M226, 10 bolt RG (Spain made)<br>D40,M226, 12 bolt RG (Thailand made) | 35.8 (1.41")            | 32           | ALL                    | RD149                   | ET149                   | EL149                    |
|                            |                    |         | C200K                                                                     | 32.0 (1.26")            | 31           | 3.69 & UP<br>3.36 & DN | RD180<br>RD196          | ET180<br>ET196          | EL180<br>EL196           |
|                            |                    |         | C200k                                                                     | 32.0 (1.26")            | 31           | DE                     |                         |                         |                          |
| Pathfinder WD21.R50        | Front              | 1986-05 | R180A, 4cyl                                                               | 27.8 (1.09")            | 27           | ALL                    | RD182                   | ET182                   | EL182                    |
|                            |                    |         | R200A, 6cyl                                                               | 30.4 (1.20")            | 29           | ALL                    | RD202                   | ET202                   | EL202                    |
|                            | Rear               | 1986-05 | H233B,31 spline, (6 cyl)                                                  | 32.0 (1.26")            | 31           | ALL                    | RD136                   | ET136                   | EL136                    |
|                            |                    |         | H233B,33 spline, (6 cyl)                                                  | 33.3 (1.31")            | 33           | ALL                    | RD135                   | ET135                   | EL135                    |
|                            |                    |         | 1986-97                                                                   | C200,29 spline, (4 cyl) | 30.4 (1.20") | 29                     | ALL                     | RD202                   | ET202                    |
| Pathfinder R51             | Front              | 2005 on | R180A, 10 bolt RG                                                         | 27.8 (1.09")            | 27           | 3.69 & UP<br>3.54 & DN | RD180<br>RD181          | ET180<br>ET181          | EL180<br>EL181           |
|                            |                    |         | M205 (USA built V8)                                                       | 32.8 (1.26")            | 30           | ALL                    | RD224                   | ET224                   | EL224                    |
|                            | Rear               | 2005 on | R230,33 spline,IRS                                                        | 33.3 (1.31")            | 33           | 3.54 & UP              | RD137                   | ET137                   | EL137                    |
|                            |                    |         | R230,33 spline,IRS                                                        | 33.3 (1.31")            | 33           | 3.36 & DN              | RD137-1                 | ET137-1                 | EL137-1                  |
| Y62, Patrol, Infinity QX55 | Front              | 2010 on | C200K,31 SPL                                                              | 32.0 (1.26")            | 31           | ALL                    | RD196                   | ET196                   | EL196                    |
|                            |                    |         | C200K,34 SPL                                                              | 34.8 (1.37")            | 34           | ALL                    | RD228                   | ET228                   | EL228                    |
|                            | Rear               |         | R248,34 spline,IRS                                                        | 34.8 (1.37")            | 34           | ALL                    | RD195                   | ET195                   | EL195                    |
|                            | R230,33 spline,IRS |         | 33.3 (1.31")                                                              | 33                      | 3.54 & UP    | RD137                  | ET137                   | EL137                   |                          |
|                            | Front              | 1998 on | R230,33 spline,IRS                                                        | 33.3 (1.31")            | 33           | 3.36 & DN              | RD137-1                 | ET137-1                 | EL137-1                  |
| Y61.Patrol GU              | Front              | 1998 on | H233B                                                                     | 32.0 (1.26")            | 31           | ALL                    | RD136                   | ET136                   | EL136                    |
|                            |                    |         | H233B 'small'                                                             | 33.3 (1.31")            | 33           | ALL                    | RD135                   | ET135                   | EL135                    |
|                            | Rear               | 1998 on | H260 'large', 37 spline                                                   | 38.4 (1.51")            | 37           | ALL                    | RD215                   | ET215                   | EL215                    |
|                            |                    |         | H260 'large', 34 spline,full-floating                                     | 34.8 (1.37")            | 34           | ALL                    | RD214                   | ET214                   | EL214                    |
| Y60,Patrol GQ              | Front              | 1988-98 | H233B,31 SPL                                                              | 32.0 (1.26")            | 31           | ALL                    | RD136                   | ET136                   | EL136                    |
|                            | Rear               | 1988-98 | H233B,33 SPL                                                              | 33.3 (1.31")            | 33           | ALL                    | RD135                   | ET135                   | EL135                    |
|                            |                    | 1988-98 | H260, leaf spring cabchassis & utility                                    | 38.4 (1.51")            | 37           | ALL                    | RD215                   | ET215                   | EL215                    |
|                            |                    | 1988-98 | H260 'large', 34 spline,full-floating                                     | 34.8 (1.37")            | 34           | ALL                    | RD214                   | ET214                   | EL214                    |
| 160,Patrol MQ              | Front              | 1979-88 | C200                                                                      | 30.4 (1.20")            | 29           | ALL                    | RD202                   | ET202                   | EL202                    |
|                            |                    |         | C200                                                                      | 30.4 (1.20")            | 29           | ALL                    | RD202                   | ET202                   | EL202                    |
|                            | Rear               | 1979-88 | H233                                                                      | 32.0 (1.26")            | 31           | ALL                    | RD134                   | ET134                   | EL134                    |
|                            |                    |         | H260                                                                      | 38.4 (1.51")            | 37           | ALL                    | RD215                   | ET215                   | EL215                    |
| Terrano II Wagon           | Front              |         |                                                                           |                         |              |                        |                         | DE                      |                          |
|                            | Rear               | 1997 on | H233B                                                                     | 32.0 (1.26")            | 31           | ALL                    | RD136                   | ET136                   | EL136                    |
|                            |                    | 2003 on | H233B                                                                     | 33.3 (1.31")            | 33           | ALL                    | RD135                   | ET135                   | EL135                    |
| Titan                      | Front              | 2004 on | M205                                                                      | 32.8 (1.29")            | 30           | ALL                    | RD224                   | ET224                   | EL224                    |
|                            |                    | 2016-19 | AAM 9.25                                                                  | 34.8 (1.37")            | 33           | ALL                    | RD254                   | ET254                   | EL254                    |
|                            | Rear               | 2004-09 | M226,32 spline                                                            | 35.8 (1.41")            | 32           | ALL                    | RD149                   | ET149                   | EL149                    |
|                            |                    | 2009 on |                                                                           |                         |              |                        |                         | DE                      |                          |
| Armada                     | Front              | 2004 on | M205                                                                      | 32.8 (1.29")            | 30           | ALL                    | RD224                   | ET224                   | EL224                    |
|                            | Rear               | 2004 on | R230,33 spline,IRS                                                        | 33.3 (1.31")            | 33           | 3.54 & UP              | RD137                   | ET137                   | EL137                    |
|                            |                    |         | R230,33 spline,IRS                                                        | 33.3 (1.31")            | 33           | 3.36 & DN              | RD137-1                 | ET137-1                 | EL137-1                  |



# ISUZU



| Vehicle/Model                               | Axle Loc'n | Year      | Description                    | Shaft Diameter | Shaft Spline | Ratio     | Air locker | E-locker | Elocker +LSD |
|---------------------------------------------|------------|-----------|--------------------------------|----------------|--------------|-----------|------------|----------|--------------|
| Isuzu Trooper                               | Front      | 1988 on   | Independent suspension(IFS)    | 28.4 (1.12")   | 17           | ALL       | RD203      | ET203    | EL203        |
|                                             | Rear       | 1987-91   | Turbo diesel & V6 petrol only  | 33.5 (1.32")   | 26           | ALL       | RD213      | ET213    | EL213        |
|                                             |            | 1993-97   | ALL models                     | 33.5 (1.32")   | 26           | ALL       | RD213      | ET213    | EL213        |
|                                             |            | 1999-06   | Non-LSD Models                 | 38.5           | 23           | ALL       | TRIM-14    |          |              |
|                                             |            | 2000 on   |                                | 38.1 (1.50")   | 23           | ALL       | RD504      | ET504    | EL504        |
| Isuzu Pickup.<br>D-Max<br>Opel Campo<br>MUX | Front      | 1988-2020 | Independent suspension(IFS)    | 28.4 (1.12")   | 17           | ALL       | RD203      | ET203    | EL203        |
|                                             | Rear       | 2020 on   |                                | 30.4 (1.20")   | 29           | ALL       | RD260      | ET260    | EL260        |
|                                             |            | 1987-91   | 4x4 diesel & 4x2 diesel models | 33.5 (1.32")   | 26           | ALL       | RD213      | ET213    | EL213        |
|                                             |            | 1993 on   | ALL models including 4x2       | 33.5 (1.32")   | 26           | ALL       | RD213      | ET213    | EL213        |
|                                             |            |           |                                |                |              |           |            |          |              |
| Isuzu Rodeo/Sport.<br>Isuzu Amigo,MU        | Front      | 1990 on   | Independent suspension(IFS)    | 28.4 (1.12")   | 17           | ALL       | RD203      | ET203    | EL203        |
|                                             | Rear       | 1999 on   | Dana 44                        | 33.3 (1.31")   | 30           | 4.56 & UP | RD117      | ET117    | EL117        |
|                                             |            |           |                                |                |              | 4.13 & DN | RD117      | ET117    | EL117        |
| Isuzu Axiom,<br>Honda Passport              | Front      | 2001 on   | Independent suspension(IFS)    | 28.4 (1.12")   | 17           | ALL       | RD203      | ET203    | EL203        |
|                                             | Rear       | 2001 on   | Dana 44                        | 33.3 (1.31")   | 30           | 4.56 & UP | RD117      | ET117    | EL117        |
|                                             |            |           |                                |                |              | 4.13 & DN | RD117      | ET117    | EL117        |





# SANTANA



| Vehicle/Model | Axle Loc'n | Year | Description                     | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Flocker +LSD |
|---------------|------------|------|---------------------------------|----------------|--------------|-------|------------|----------|--------------|
| Anibal, PS10  | Front      |      | ALL models (Land Rover type)    |                | 10           | ALL   | RD127      | ET127    | EL127        |
|               | Rear       |      | ALL models                      |                | 24           | ALL   | RD126      | ET126    | EL126        |
| PS300         | Front      |      | 10 bolt RG (Suzuki Vitara type) | 27.4 (1.08")   | 26           | ALL   | RD208      | ET208    | EL208        |
|               | Rear       |      | 12 bolt RG                      | 27.4 (1.08")   | 26           | ALL   |            | DE       |              |
| PS350         | Front      |      | 10 bolt RG (Suzuki Vitara type) | 27.4 (1.08")   | 26           | ALL   | RD208      | ET208    | EL208        |
|               | Rear       |      | 12 bolt RG                      | 27.4 (1.08")   | 26           | ALL   |            | DE       |              |





# SUZUKI



| Vehicle/Model                                              | Axle Loc'n | Year     | Description                            | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Elocker +LSD |
|------------------------------------------------------------|------------|----------|----------------------------------------|----------------|--------------|-------|------------|----------|--------------|
| Sierra/Samurai/<br>Jimny<br>Holden Drover<br>Maranti Gypsy | Front      | 2003 on  | Jimny model with 10 bolt RG            | 23.9 (0.94")   | 22           | ALL   | RD206      | ET206    | EL206        |
|                                                            |            | 1998- 03 | Jimny model with 8 bolt RG             | 23.9 (0.94")   | 22           | ALL   | RD207      | ET207    | EL207        |
|                                                            |            | 1984-98  | Leaf spring suspension 10 bolt RG      | 23.9 (0.94")   | 22           | ALL   | RD205      | ET205    | EL205        |
|                                                            | Rear       | 1984 on  | 1.3 litre models only 10 bolt RG       | 27.4 (1.08")   | 26           | ALL   | RD208      | ET208    | EL208        |
| Jimny (Japan<br>only)<br>(JA11 & JA12)                     | Front      | 1990-95  | JA11,660cc turbocharged engines ONLY   | 23.9 (0.94")   | 22           | ALL   | RD207      | ET207    | EL207        |
|                                                            | Rear       | 1990-98  | JA11&JA12,660cc turbocharged engines   | 27.4 (1.08")   | 26           | ALL   | RD208      | ET208    | EL208        |
| Vitara / Sidekick<br>Grand Vitara,<br>XL7                  | Front      | 1988-98  | 26 spline 10 bolt RG                   | 27.4 (1.08")   | 26           | ALL   | RD208      | ET208    | EL208        |
|                                                            |            |          | 22 spline 10 bolt RG                   | 23.9 (0.94")   | 22           | ALL   | RD205      | ET205    | EL205        |
|                                                            |            | 1998- 05 | 26 Splin ADD                           | 27.4 (1.08")   | 26           | ALL   | DE         |          |              |
|                                                            |            | 2005     | 26 spline                              | 27.4 (1.08")   | 26           | ALL   | RD110-26   | ET110-26 | EL110-26     |
|                                                            |            | 2006- 12 | 26 Spline 12 bolt RG                   | 27.4 (1.08")   | 26           | ALL   | RD308      | ET308    | EL308        |
|                                                            |            | 1988-93  | Suzuki 10 bolt RG                      | 27.4 (1.08")   | 26           | ALL   | RD204      | ET204    | EL204        |
|                                                            | Rear       | 1993-00  | Suzuki 12 bolt RG (excl, Grand Vitara) | 27.4 (1.08")   | 26           | ALL   | RD209      | ET209    | EL209        |
|                                                            |            | 1998- 05 | 26 Spline                              | 27.4 (1.08")   | 26           | ALL   | DE         |          |              |
|                                                            |            | 2005     | 28spline                               | 28.8 (1.13")   | 28           | ALL   | RD110-28   | ET110-28 | EL110-28     |
|                                                            |            | 2006- 12 | 28 spline 12 bolt RG                   | 28.8 (1.13")   | 28           | ALL   | RD307      | ET307    | EL307        |





# MERCEDES BENZ



| Vehicle/Model         | Axle Loc'n | Year    | Description                                            | Shaft Diameter | Shaft Spline | Ratio     | Air locker | E-locker | Elocker +LSD |
|-----------------------|------------|---------|--------------------------------------------------------|----------------|--------------|-----------|------------|----------|--------------|
| X220d, X250d<br>X350d | Front      | 2018 on | R180A, 10 bolt RG; bearing ID:46mm; bearing OD: 73.5mm | 30.8 (1.21")   | 30           | 3.54 & DN | RD231      | ET231    | EL231        |
|                       | Rear       | 2018 on | ALL                                                    | 34.8 (1.37")   | 34           | ALL       | RD229      | ET229    | EL229        |
|                       | Front      | 2018 on | C200K,34 SPL                                           | 34.8 (1.37")   | 34           | ALL       | RD228      | ET228    | EL228        |
|                       | Rear       | 2018 on | ALL                                                    | 34.8 (1.37")   | 34           | ALL       | RD229      | ET229    | EL229        |






# VOLKSWAGEN



| Vehicle/Model | Axle Loc'n | Year    | Description                    | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Locker + LSD |
|---------------|------------|---------|--------------------------------|----------------|--------------|-------|------------|----------|--------------|
|               | Front      | 2010 on |                                |                |              |       |            | DE       |              |
| Amarok        | Rear       | 2010 on | ALL (incl. OE locker equipped) | 33.3 (1.31")   | 30           | ALL   | RD198      | ET198    | EL198        |





# TOYOTA / LEXUS



| Vehicle/Model                                                           | Axle Loc'n | Year      | Description                                                                          | Shaft Diameter             | Shaft Spline | Ratio                  | Air locker     | E-locker       | Elocker +LSD   |
|-------------------------------------------------------------------------|------------|-----------|--------------------------------------------------------------------------------------|----------------------------|--------------|------------------------|----------------|----------------|----------------|
| LandCruiser J200 Series, Lexus LX570                                    | Front      | 2007 on   | ALL models                                                                           | 34.8 (1.37")               | 34           | ALL                    | RD151          | ET151          | EEL151         |
|                                                                         |            | 2016 on   | USA 200 series with 8 speed Auto                                                     | 34.8 (1.37")               | 34           | 3.307                  | DE             |                |                |
|                                                                         | Rear       | 2007 on   | 9.5" dia. RG, 12 bolt                                                                | 34.8 (1.37")               | 32           | ALL                    | RD152          | ET152          | EL152          |
| LandCruiser 71,76,78,79,100 & 105 Series Lexus                          | Front      | 1998 on   | 8 " dia. RG, IFS, 50mm bearing ID                                                    | 33.3 (1.31")               | 30           | ALL                    | RD131          | ET131          | EL131          |
|                                                                         |            | 1998 on   | Live axle suspension                                                                 | 33.3 (1.31")               | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         | Rear       | 1998 on   | ALL models                                                                           | 34.8 (1.37")               | 32           | ALL                    | RD152          | ET152          | EL152          |
| LandCruiser Prado, 90, 95, 120 and 150 series, Lexus GX 3400,2500,2700, | Front      | 1996- 03  | 7.5" dia. RG, 10 bolt, IFS                                                           | 28 (1.1")                  | 27           | ALL                    | RD90           | ET90           | EL90           |
|                                                                         |            | 2003 on   | 8" dia. RG, IFS clamshell, 53mm bearing                                              | 33 (1.31")                 | 30           | 3.91 & UP<br>3.73 & DN | RD111<br>RD121 | ET111<br>ET121 | EL111<br>EL121 |
|                                                                         | Rear       | 1996 on   | 8" dia. RG, 10 bolt                                                                  | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         |            | 2009 on   | 8.25" dia. RG, 12 bolt (shimmed)                                                     | 33 (1.31")                 | 30           | ALL                    | RD193          | ET193          | EL193          |
| LandCruiser 40,55,60, 62,70,73,74,75 & 80 Series, Lexus                 | Front      | To 1989   | 12 bolt, full floating                                                               | 33 (1.31")                 | 30           | ALL                    | RD142          | ET142          | EL142          |
|                                                                         |            | 1990-97   | 10 bolt, full floating                                                               | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         | Rear       | 1969-76   | 12 bolt, semi floating, 45mm bearing ID                                              | 33 (1.31")                 | 30           | ALL                    | RD153          | ET153          | EL153          |
|                                                                         |            | 1977-89   | 12 bolt, full floating, 45mm bearing ID                                              | 33 (1.31")                 | 30           | ALL                    | RD142          | ET142          | EL142          |
|                                                                         |            | 1990-97   | 12 bolt, full floating, 50mm bearing ID                                              | 33 (1.31")                 | 30           | ALL                    | RD142          | ET142          | EL142          |
|                                                                         |            | 1977-92   | 12 bolt, semi floating, 50mm bearing ID                                              | 33 (1.31")                 | 30           | ALL                    | RD153          | ET153          | EL153          |
| FJ40s made in south America                                             | Rear       |           | Dana 60                                                                              | 33 (1.31")                 | 30           | 4.56 & UP<br>4.10 & DN | RD162<br>RD163 | ET162<br>ET163 | EL162<br>EL163 |
|                                                                         | Front      | ALL       | 10 bolt                                                                              | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
| Bundera, LandCruiser II, LJ70,RJ70                                      | Rear       | To 1985   | 10 bolt, 45mm bearing ID                                                             | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         |            | 1986 on   | 10 bolt, 50mm bearing ID                                                             | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
| 4Runner, LN61, YN63                                                     | Front      | ALL       | 10 bolt, live axle                                                                   | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         |            | To 2003   | 7.5" dia. RG, 10 bolt, IFS                                                           | 28 (1.1")                  | 27           | ALL                    | RD90           | ET90           | EL90           |
|                                                                         |            | 2003 on   | 8" dia. RG IFS clamshell, 53mm bearing                                               | 33 (1.31")                 | 30           | 3.91 & UP<br>3.73 & DN | RD111<br>RD121 | ET111<br>ET121 | EL111<br>EL121 |
|                                                                         | Rear       | 1984-88   | 4 cylinder, 45mm bearing ID                                                          | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         |            | 1988-10   | V6, 4WD, 50mm bearing ID                                                             | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         |            | 1988-10   | V6, 2WD, 45mm bearing ID                                                             | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         |            | 2010 on   | 8.25" dia. RG, 12 bolt (shimmed)                                                     | 33 (1.31")                 | 30           | ALL                    | RD193          | ET193          | EL193          |
| T100, Tacoma                                                            | Front      | 2005 on   | 8" dia. RG IFS clamshell, 53mm bearing                                               | 33 (1.31")                 | 30           | 3.91 & UP<br>3.73 & DN | RD111<br>RD121 | ET111<br>ET121 | EL111<br>EL121 |
|                                                                         |            | To 2004   | 7.5" dia. RG, 10 bolt, IFS                                                           | 28 (1.1")                  | 27           | ALL                    | RD90           | ET90           | EL90           |
|                                                                         |            | 2005      | 8" dia. RG, 12 bolt                                                                  | 33 (1.31")                 | 30           | 3.91 & UP<br>3.73 & DN | RD111<br>RD121 | ET111<br>ET121 | EL111<br>EL121 |
|                                                                         | Rear       | To 2015   | 8.4 " dia. RG, 12 bolt                                                               | 33 (1.31")                 | 30           | ALL                    | RD129          | ET129          | EL129          |
|                                                                         |            | 2016 on   | 8.0 " dia RG, ALL autos excl. OE Locker<br>8.9 " dia RG, ALL manuals & ALL OE Locker | 33 (1.31")<br>34.8 (1.37") | 30<br>32     | ALL<br>ALL             | RD132<br>RD232 | ET132<br>ET232 | EL132<br>EL232 |
| Tundra                                                                  | Front      | 2007 on   | ALL models                                                                           | 34.8 (1.37")               | 34           | ALL                    | RD151          | ET151          | EL151          |
|                                                                         |            | To 2006   | 7.5" dia. RG, 10 bolt, IFS                                                           | 28 (1.1")                  | 27           | ALL                    | RD90           | ET90           | EL90           |
|                                                                         | Rear       | To 2006   | 8.4" dia. RG, 12 bolt                                                                | 33 (1.31")                 | 30           | ALL                    | RD129          | ET129          | EL129          |
|                                                                         |            | 2007 on   | 9.5" dia. RG, 12 bolt<br>10.5" dia. RG, 12 bolt                                      | 35 (1.38")<br>36.8 (1.45") | 32<br>36     | ALL<br>ALL             | RD152<br>RD146 | ET152<br>ET146 | EL152<br>EL146 |
| Sequoia                                                                 | Front      | 2007 on   | ALL models                                                                           | 34.8 (1.37")               | 34           | ALL                    | RD151          | ET151          | EL151          |
|                                                                         |            | To 2008   | 7.5" dia. RG, 10 bolt, IFS                                                           | 28 (1.1")                  | 27           | ALL                    | RD90           | ET90           | EL90           |
|                                                                         | Rear       | To 2007   | 8.4" dia. RG, 12 bolt, live axle                                                     | 33 (1.31")                 | 30           | ALL                    | RD129          | ET129          | EL129          |
| FJ Cruiser                                                              | Front      | 2005 on   | 8" dia. RG IFS clamshell, 53mm bearing                                               | 33 (1.31")                 | 30           | 3.91 & UP<br>3.72 & DN | RD111<br>RD121 | ET111<br>ET121 | EL111<br>EL121 |
|                                                                         |            | 2006-2009 | 8" non-factory locker model                                                          | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         | Rear       | 2010 on   | 8.15" dia. RG, non-factory locker model                                              | 33 (1.31")                 | 30           | ALL                    | RD193          | ET193          | EL193          |
| LandCruiser 215                                                         | Rear       | 2007 on   | ALL models                                                                           | 34.8 (1.37")               | 32           | ALL                    | RD152          | ET152          | EL152          |
| HiLux, Pickup Hiace, Fortuner Vigo                                      | Front      |           | 10 bolt, live axle                                                                   | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         |            | To 2005   | 7.5" dia. RG, 10 bolt, IFS                                                           | 28 (1.1")                  | 27           | ALL                    | RD90           | ET90           | EL90           |
|                                                                         |            | 2005 on   | 8" dia. RG IFS clamshell, 53mm bearing                                               | 33 (1.31")                 | 30           | 3.91 & UP<br>3.73 & DN | RD111<br>RD121 | ET111<br>ET121 | EL111<br>EL121 |
|                                                                         | Rear       | To-1988   | 4 cylinder, 45mm bearing ID                                                          | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         |            | 1988-05   | ALL models 50mm bearing ID                                                           | 33 (1.31")                 | 30           | ALL                    | RD132          | ET132          | EL132          |
|                                                                         |            | 2005 on   | Adjuster nut models, 50 or 53mm bearing ID<br>Dana Spicer shim adjusted models.      | 33 (1.31")<br>33 (1.31")   | 30<br>30     | ALL<br>ALL             | RD132<br>RD133 | ET132<br>ET133 | EL132<br>EL133 |
| LC200                                                                   | Front      |           | 8.9 " dia. RG, 12 bolt (shimmed)                                                     | 34.8 (1.37")               | 32           | ALL                    | RD232          | ET232          | EL232          |
| Dyna                                                                    | Rear       |           |                                                                                      | 34.8 (1.37")               | 34           | ALL                    | RD151          | ET151          | EL151          |
|                                                                         |            |           |                                                                                      | 34.8 (1.37")               | 32           | ALL                    | RD152          | ET152          | EL152          |
|                                                                         | Rear       |           | TBD 10.5", 34 SPL                                                                    | 34.8 (1.37")               | 34           | ALL                    | RD183          | ET183          | EL183          |



# DODGE



| Vehicle/Model                  | Axle Loc'n | Year                 | Description                                                           | Shaft Diameter | Shaft Spline | Ratio                  | Air locker     | E-locker       | Elocker +LSD   |
|--------------------------------|------------|----------------------|-----------------------------------------------------------------------|----------------|--------------|------------------------|----------------|----------------|----------------|
| 100, 150,200.<br>A,B,D,W       | Front      | ALL                  | Dana 44, half ton truck                                               | 33.3 (1.31")   | 30           | 3.91 & UP<br>3.73 & DN | RD116<br>RD117 | ET116<br>ET117 | EL116<br>EL117 |
|                                |            | 1978-93              | Dana 60,three quarter ton truck                                       | 33.3 (1.31")   | 30           | 4.56 & UP<br>4.10 & DN | RD162<br>RD163 | ET162<br>ET163 | EL162<br>EL163 |
|                                |            | 1989-93              | Dana 70, three quarter ton truck                                      | 35.8 (1.41")   | 32           | 4.56 & UP<br>4.10 & DN | RD170<br>RD171 | ET170<br>ET171 | EL170<br>EL171 |
|                                |            | 1988-95 &<br>1971-82 | Dana 60HD,three quarter ton truck                                     | 38.1 (1.50")   | 35           | 4.56 & UP<br>4.10 & DN | RD166<br>RD167 | ET166<br>ET167 | EL166<br>EL167 |
|                                | Rear       | 1991-93              | Dana 70, three quarter ton truck                                      | 35.8 (1.41")   | 32           | 4.56 & UP<br>4.10 & DN | RD170<br>RD171 | ET170<br>ET171 | EL170<br>EL171 |
|                                |            | 1988-93              | Dana 70U, three quarter ton truck                                     | 38.1 (1.50")   | 35           | 4.56 & UP<br>4.10 & DN | RD172<br>RD173 | ET172<br>ET173 | EL172<br>EL173 |
|                                |            | 1983-93              | Dana 60                                                               | 33.3 (1.31")   | 30           | 3.54<br>4.56 & UP      | RD163<br>RD164 | ET163<br>ET164 | EL163<br>EL164 |
|                                |            | 1972-82              | Dana 60                                                               | 35.8 (1.41")   | 32           | 4.10 & DN<br>4.56 & UP | RD165<br>RD166 | ET165<br>ET166 | EL165<br>EL166 |
|                                |            |                      |                                                                       | 38.1 (1.50")   | 35           | 4.10 & DN<br>4.56 & UP | RD167<br>RD162 | ET167<br>ET162 | EL167<br>EL162 |
|                                |            |                      |                                                                       | 33.3 (1.31")   | 30           | 4.10 & DN              | RD163          | ET163          | EL163          |
|                                |            |                      |                                                                       |                |              |                        |                |                |                |
|                                |            |                      |                                                                       |                |              |                        |                |                |                |
| Dakota V6, 1500<br>or 2500 Van | Front      | 1997 on              | Dana 30(non-standard)                                                 | 29.5 (1.16")   | 27           |                        |                | DE             |                |
|                                | Rear       | 1997 on              | Chrysler 8.25"dia.RG,C-clip                                           | 30.7 (1.21")   | 29           | ALL                    | RD93           | ET93           | EL93           |
|                                |            | to 1996              | Chrysler 8.25"dia.RG,C-clip                                           | 29.5 (1.16")   | 27           | ALL                    | RD112          | ET112          | EL112          |
| 300.350.400<br>B.C.M,W         | Front      | 1976-95              | Dana 60HD                                                             | 38.1 (1.50")   | 35           | 4.56 & UP<br>4.10 & DN | RD166<br>RD167 | ET166<br>ET167 | EL166<br>EL167 |
|                                |            | 1971-74              | Dana 70                                                               | 35.8 (1.41")   | 32           | 4.56 & UP<br>4.10 & DN | RD170<br>RD171 | ET170<br>ET171 | EL170<br>EL171 |
|                                |            | 1955 On              | Dana 60                                                               | 33.3 (1.31")   | 30           | 4.56 & UP<br>4.10 & DN | RD162<br>RD163 | ET162<br>ET163 | EL162<br>EL163 |
|                                | Rear       | 1979-93              | Dana 70HD                                                             | 38.1 (1.50")   | 35           | 4.56 & UP<br>4.10 & DN | RD172<br>RD173 | ET172<br>ET173 | EL172<br>EL173 |
|                                |            | 1971-93              | Dana 70                                                               | 35.8 (1.41")   | 32           | 4.56 & UP<br>4.10 & DN | RD170<br>RD171 | ET170<br>ET171 | EL170<br>EL171 |
|                                |            | 1993                 | Dana 80                                                               | 38.1 (1.50")   | 35           | 4.10 & DN<br>3.73 & DN | RD173<br>RD175 | ET173<br>ET175 | EL173<br>EL175 |
|                                |            |                      |                                                                       | 40.6 (1.60")   | 37           |                        |                |                |                |
|                                | Front      | 1994-03              | Dana 44                                                               | 33.3 (1.31")   | 30           | 3.91 & UP<br>3.73 & DN | RD116<br>RD117 | ET116<br>ET117 | EL116<br>EL117 |
| RAM 2500.3500                  | Rear       | 1994-1010<br>2010 on | Chrysler 9.25" dia RG<br>Chrysler/Dodge/RAM ZF 9.25 " dia. RG, C-clip | 33.7 (1.33")   | 31           | ALL                    | RD259          | ET259          | EL259          |
|                                | Front      | 1994-02              | Dana 60                                                               | 35.8 (1.41")   | 32           | 4.56 & UP<br>4.10 & DN | RD164<br>RD165 | ET164<br>ET165 | EL164<br>EL165 |
|                                |            |                      |                                                                       | 38.1 (1.50")   | 35           | 4.56 & UP<br>4.10 & DN | RD166<br>RD167 | ET166<br>ET167 | EL166<br>EL167 |
|                                |            |                      |                                                                       | 33.3 (1.31")   | 30           | 4.56 & UP<br>4.10 & DN | RD162<br>RD163 | ET162<br>ET163 | EL162<br>EL163 |
|                                |            | 2003 on              | AAM 925(9.25")                                                        | 34.8 (1.37")   | 33           | ALL                    | RD197          | ET197          | EEL197         |
|                                | Rear       | 1994-2002            | Dana 70                                                               | 35.8 (1.41")   | 32           | 4.56 & UP<br>4.10 & DN | RD170<br>RD171 | ET170<br>ET171 | EL170<br>EL171 |
|                                |            |                      | Dana 80                                                               | 38.1 (1.50")   | 35           | 4.10 & UP<br>3.73 & DN | RD172<br>RD173 | ET172<br>ET173 | EL172<br>EL173 |
|                                |            |                      | Dana 80                                                               | 40.6 (1.60")   | 37           | 4.10 & UP<br>3.73 & DN | RD174<br>RD175 | ET174<br>ET175 | EL174<br>EL175 |
|                                |            |                      |                                                                       |                |              |                        |                |                |                |
|                                |            | 2003 on              | AAM 1150(11.5")                                                       | 39.0(1.56")    | 30           | ALL                    | RD139          | ET139          | EL139          |



# MITSUBISHI



| Vehicle/Model                                                 | Axle Loc'n | Year    | Description                               | Shaft Diameter | Shaft Spline | Ratio      | Air locker | E-locker | Elocker +LSD |
|---------------------------------------------------------------|------------|---------|-------------------------------------------|----------------|--------------|------------|------------|----------|--------------|
| Montero,Raider,<br>Pajero,<br>Delica(van)<br>Shogun           | Front      | 1989 on | IFS,28 spline,8.00"RG                     | 28.8 (1.13")   | 28           | ALL        | RD110      | ET110    | EL110        |
|                                                               |            |         | IFS,28 spline,7.25"RG                     | 28.8 (1.13")   | 28           | ALL        | RD309      | ET309    | EL309        |
|                                                               |            | 1984-97 | IFS,25 spline,7.25"RG                     | 28.8 (1.13")   | 25           | All        | RD311      | ET311    | EL311        |
|                                                               |            |         | 112mm Crown ID                            | 28.8           | 25           | ALL        | RD110-1    | ET110-1  | EL110-1      |
|                                                               | Rear       | 1987-95 | 112mm Crown ID                            | 28.8           | 28           | ALL        | RD501      | ET501    | EL501        |
|                                                               |            |         | 9.00"12 bolt RG                           | 30.5 (1.20")   | 28           | ALL        | RD212      | ET212    | EL212        |
|                                                               |            | 1983-86 | 8.00"10 bolt RG                           | 30.5 (1.20")   | 28           | ALL        | RD210      | ET210    | EL210        |
|                                                               |            |         | 3.5L & 2.8TDI,NJ,NK,NL,9.5" RG, live axle | 33.6 (1.32")   | 31           | ALL        | RD154      | ET154    | EL154        |
| Pajero/<br>MonteroiO,<br>pinin.Shogun                         | Front      | 2000 on | NM,NP,NS,NT9.5 " RG,IRS                   | 33.6 (1.32")   | 33           | ALL        | RD155      | ET155    | EL155        |
|                                                               | Rear       | ALL     | 8.00" 10 bolt RG                          | 30.5 (1.20")   | 28           | ALL        | RD210      | ET210    | EL210        |
| Challenger,<br>Montero Sport<br>Pajero Sport,<br>Shogun Sport | Front      | ALL     | IFS,28 spline                             | 28.8 (1.13")   | 28           | ALL        | RD110      | ET110    | EL110        |
|                                                               | Rear       | ALL     | 3.0L,petrol 2.5L diesel 9.00"RG           | 30.5 (1.20")   | 28           | ALL        | RD212      | ET212    | EL212        |
|                                                               |            | ALL     | 3.5L,9.50RG                               | 33.6 (1.32")   | 31           | ALL        | RD154      | ET154    | EL154        |
|                                                               |            | ALL     | 2.5L,9.50RG                               | 33.6 (1.32")   | 31           | ALL        | RD154      | ET154    | EL154        |
|                                                               |            | ALL     | 2.4L, 9.50 " 12 bolt RG                   | 33.6 (1.32")   | 31           | ALL        | RD154      | ET154    | EL154        |
|                                                               |            | 2016 on | IFS,28 spline,8.00"RG                     | 28.8 (1.13")   | 28           | ALL        | RD110      | ET110    | EL110        |
| Triton,Pickup,<br>L200<br>Pickup                              | Front      | ALL     | IFS,28 spline,7.25"RG                     | 28.8 (1.13")   | 28           | ALL        | RD309      | ET309    | EL309        |
|                                                               |            |         | IFS,25 spline,7.25"RG                     | 28.8 (1.13")   | 25           | ALL        | RD311      | ET311    | EL311        |
|                                                               |            |         | 9.00"RG                                   | 30.5 (1.20")   | 28           | ALL        | RD212      | ET212    | EL212        |
|                                                               | Rear       | 2002 on | 9.50"RG                                   | 33.6 (1.32")   | 31           | ALL        | RD154      | ET154    | EL154        |
|                                                               |            |         | Dana30                                    |                | 10           | 3.37 & UP  |            | TRIM-01  |              |
|                                                               |            |         | Dana30                                    |                | 10           | 3.54 & DN  |            | TRIM-02  |              |
| Jeep J44,J50,J55                                              | Front      | ALL     | DANA44                                    |                | 10           | 3.92 & UP  |            | TRIM-10  |              |
|                                                               |            |         | DANA44                                    |                | 10           | 3.573 & DN |            | TRIM-11  |              |
|                                                               |            |         | DANA 44                                   |                | 19           | 3.92 & UP  |            | TRIM-12  |              |
|                                                               | Rear       | ALL     | DANA 44                                   |                | 19           | 3.573 & DN |            | TRIM-13  |              |
|                                                               |            |         | IFS, 28 spline, 8.00" RG                  | 28.8 (1.13")   | 28           | ALL        | RD110      | ET110    | EL110        |
|                                                               |            |         | IFS, 28 spline, 7.25" RG                  | 28.8 (1.13")   | 28           | ALL        | RD309      | ET309    | EL309        |
| Delica, L300,<br>Starwagon                                    | Front      | ALL     | IFS, 25 spline, 7.25" RG                  | 28.8 (1.13")   | 25           | ALL        | RD311      | ET311    | EL311        |
|                                                               |            |         | 112mm Crown ID                            | 28.8 (1.13")   | 25           | ALL        | RD110-1    | ET110-1  | EL110-1      |
|                                                               |            |         | 112mm Crown ID                            | 28.8 (1.13")   | 28           | ALL        | RD501      | ET501    | EL501        |
|                                                               |            |         | 8.00 " 10 bolt RG                         | 30.5 (1.20")   | 28           | ALL        | RD210      | ET210    | EL210        |
|                                                               | Rear       | ALL     | 9.00 " 12 bolt RG                         | 30.5 (1.20")   | 28           | ALL        | RD212      | ET212    | EL212        |
|                                                               |            |         | 9.50 " 12 bolt RG                         | 33.6 (1.32")   | 31           | ALL        | RD154      | ET154    | EL154        |
|                                                               |            |         |                                           |                |              |            |            |          |              |
|                                                               |            |         |                                           |                |              |            |            |          |              |

# CONQUER 4x4

| Vehicle/Model                                                                      | Axle Loc'n | Year      | Description                                   | Shaft Diameter | Shaft Spline | Ratio                  | Air locker     | E-locker       | Elocker +LSD   |
|------------------------------------------------------------------------------------|------------|-----------|-----------------------------------------------|----------------|--------------|------------------------|----------------|----------------|----------------|
| 10/1500Series,<br>C.G,K,P,<br>Blazer,Jimmy,<br>Yukon,<br>Suburban,Vans             | Front      | To 1980   | Dana M44,3600lb                               | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN | RD116<br>RD117 | ET116<br>ET117 | EL116<br>EL117 |
|                                                                                    | Rear       | 1989-2019 | GM 10 bolt, 8.5"/8.6 " dia. RG, semi floating | 33.3 (1.31")   |              | 2.73 & UP              | RD221          | ET221          | EL221          |
| 30/3500<br>Series,C,K,G,P,RV,<br>Pickup,Suburban,<br>RallySportvan,<br>2500HD      | Front      | 1977-90   | Dana 60HD                                     | 38.1 (1.50")   | 35           | 4.56 & UP              | RD166          | ET166          | EL166          |
|                                                                                    |            | 1998-2010 | GM IFS 9.25" dia RG                           | 34.8 (1.37")   | 33           | ALL                    | RD167          | ET167          | EL167          |
|                                                                                    |            | 2011 on   | AAM 925 IFS                                   |                |              | ALL                    | RD197          | ET197          | EL197          |
|                                                                                    | Rear       | 1973 on   | GM 14 bolt, 10.5" dia RG, full floating       | 39.0 (1.56")   | 30           | ALL                    | RD114          | ET114          | EL114          |
|                                                                                    |            | 1975-86   | Dana 60HD,full floating                       | 38.1 (1.50")   | 35           | 4.56 & UP<br>4.10 & DN | RD166<br>RD167 | ET166<br>ET167 | EL166<br>EL167 |
|                                                                                    |            | 1982-2013 | GM 14 bolt, 9.5" dia. RG, semi floating       | 34.8 (1.37")   | 33           | ALL                    | RD197          | ET197          | EL197          |
|                                                                                    |            | 2001-2019 | AAM 1150 (11.5")                              | 39.0 (1.56")   | 30           | ALL                    | RD139          | ET139          | EL139          |
|                                                                                    |            | 1976 on   | Dana 70HD                                     | 38.1 (1.50")   | 35           | 4.56 & UP<br>4.10 & DN | RD172<br>RD173 | ET172<br>ET173 | EL172<br>EL173 |
|                                                                                    |            |           | Dana 70U                                      |                | 35           | 4.56 & UP<br>4.10 & DN | RD172<br>RD173 | ET172<br>ET173 | EL172<br>EL173 |
|                                                                                    |            |           |                                               |                |              | ALL                    | RD197          | ET197          | EL197          |
| 20/2500<br>Series,C,G,K,P,<br>Cab<br>Chassis,Pickup.<br>Suburban,Rally<br>Sportvan | Front      | To 1980   | Dana 44                                       | 33.3 (1.31")   | 30           | 3.92 & UP<br>3.73 & DN | RD116<br>RD117 | ET116<br>ET117 | EL116<br>EL117 |
|                                                                                    |            | 1977-89   | GM 10 bolt                                    | 30.5 (1.20")   | 28           | 2.73 & up              | RD221          | ET221          | EL221          |
|                                                                                    | Rear       | 1975-77   | Dana 60HD                                     | 38.1 (1.50")   | 35           | 4.56 & UP<br>4.10 & DN | RD166<br>RD167 | ET166<br>ET167 | EL166<br>EL167 |
|                                                                                    |            | To 1974   | Dana 60                                       | 33.3 (1.31")   | 30           | 4.56 & UP<br>4.10 & DN | RD162<br>RD163 | ET162<br>ET163 | EL162<br>EL163 |
|                                                                                    |            | 1982 on   | GM 14 bolt, 9.5"dia. RG, 4800-5700lb          | 34.8 (1.37")   | 33           | ALL                    | RD197          | ET197          | EL197          |
|                                                                                    |            | 1980-93   | GM 10 bolt, 8.5" dia. RG, semi floating       | 30.5 (1.20")   | 28           | 2.73 & UP              | RD221          | ET221          | EL221          |
|                                                                                    |            | 1973 on   | GM 14 bolt, 10.5" dia. RG full floating       | 39.0 (1.56")   | 30           | ALL                    | RD114          | ET114          | EL114          |
| 3500 HD                                                                            | Rear       | 1992 on   | Dana 80                                       | 38.1 (1.50")   | 35           | 4.10 & UP<br>3.73 & DN | RD172<br>RD173 | ET172<br>ET173 | EL172<br>EL173 |
|                                                                                    |            |           |                                               | 40.6 (1.60")   | 37           | 4.10 & UP<br>3.73 & DN | RD174<br>RD175 | ET174<br>ET175 | EL174<br>EL175 |
|                                                                                    |            |           |                                               |                |              | ALL                    | RD197          | ET197          | EL197          |
| Hummer H1                                                                          | Front      | 1993 on   | AMC Model 20, 8.875" dia RG                   | 31.8 (1.25")   | 29           | 2.73                   | RD187          | ET187          | EL187          |
|                                                                                    | Rear       | 1983 on   | AMC Model 20, 8.875" dia RG                   | 31.8 (1.25")   | 29           | 2.73                   | RD187          | ET187          | EL187          |
| Hummer H2                                                                          | Front      | 2003 on   | GM IFS 9.25" dia RG                           | 34.8 (1.37")   | 33           | ALL                    | RD197          | ET197          | EL197          |
|                                                                                    | Rear       | 2003 on   | GM 14 bolt, 9.5" dia, RG, semi float          | 34.8 (1.37")   | 33           | ALL                    | RD197          | ET197          | EL197          |
| Hummer<br>H3,Chevrolet                                                             | Front      | 2006 on   | AAM 760,IFS                                   | 30.5(1.20")    | 28           | ALL                    | RD148          | ET148          | EL148          |
|                                                                                    | Rear       | 2006 on   | GM 10 bolt, 8.5" dia. RG, semi floating       | 33.3(1.31")    | 30           | 2.73 & UP              | RD222          | ET222          | EL222          |
| GMC                                                                                | Front      |           |                                               | 28.4(1.12")    | 17           | ALL                    | RD203          | ET203          | EL203          |
|                                                                                    | Rear       |           |                                               | 33.5(1.32")    | 26           | ALL                    | RD213          | ET213          | EL213          |

CONQUER 4X4



# SSANGYONG



| Vehicle/Model            | Axle Loc'n | Year    | Description       | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Elocker +LSD |
|--------------------------|------------|---------|-------------------|----------------|--------------|-------|------------|----------|--------------|
| Musso/Rexton/<br>Korando | Rear       | 1996 on | Dana 44,manual    | 33.3 (1.31")   | 30           | 4.55  | RD116      | ET116    | EL116        |
|                          |            | 1996 on | Dana 44,automatic | 33.3 (1.31")   | 30           | 3.73  | RD117      | ET117    | EL117        |



| Vehicle/Model                              | Axle Loc'n | Year    | Description                                  | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Elocker +LSD |
|--------------------------------------------|------------|---------|----------------------------------------------|----------------|--------------|-------|------------|----------|--------------|
| Range Rover                                | Front      | To 1993 | Rover type                                   | 28.2 (1.11")   | 10           | 3.54  | RD127      | ET127    | EL127        |
|                                            |            | 1993-96 | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            |            | 1994-01 | Rover type,P38A                              | 31.5 (1.24")   | 24           | 3.54  | RD138      | ET138    | EL138        |
|                                            |            | 2002 on | Rover type,L322                              |                |              |       | DE         |          |              |
|                                            | Rear       | To 1993 | Rover type                                   | 28.2 (1.11")   | 10           | 3.54  | RD127      | ET127    | EL127        |
|                                            |            | 1993-96 | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            |            | 1994-01 | Rover type,P38A                              | 31.5 (1.24")   | 24           | 3.54  | RD138      | ET138    | EL138        |
|                                            |            | 2002 on | Rover type,L322                              |                |              |       | DE         |          |              |
| Discovery                                  | Front      | To 1993 | Rover type                                   | 28.2 (1.11")   | 10           | 3.54  | RD127      | ET127    | EL127        |
|                                            |            | 1993-98 | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            | Rear       | To 1993 | Rover type                                   | 28.2 (1.11")   | 10           | 3.54  | RD127      | ET127    | EL127        |
|                                            |            | 1993-98 | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
| Discovery Series II                        | Front      | ALL     | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            | Rear       | ALL     | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            |            | 2002 on | Rover type,P38A                              | 31.5 (1.24")   | 24           | 3.54  | RD138      | ET138    | EL138        |
|                                            | Front      | 2004 on | IFS, 29 spline, clamshell type               | 31.5 (1.24")   | 29           | ALL   | RD217      | ET217    | EL217        |
| Discovery Series III/IV, Range Rover Sport | Rear       | 2004-09 | IRS, 31 spline, clamshell type, Disco 3 only | 33.6 (1.32")   | 31           | ALL   | RD218      | ET218    | EL218        |
|                                            |            | 2009 on | IRS Diesel                                   |                |              | ALL   | RD518      | ET518    | EL518        |
| Defender 110, 130, County                  | Front      | 1983-93 | Rover type                                   | 28.2 (1.11")   | 10           | 3.54  | RD127      | ET127    | EL127        |
|                                            |            | 1993 on | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            |            | 2002 on | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            | Rear       | 2002 on | Rover type,P38A                              | 31.5 (1.24")   | 24           | 3.54  | RD138      | ET138    | EL138        |
|                                            |            | 1983-02 | Salisbury type                               | 31.5 (1.24")   | 24           | 3.54  | RD161      | ET161    | EL161        |
|                                            |            | 1979-83 | Rover type                                   | 28.2 (1.11")   | 10           | 3.54  | RD127      | ET127    | EL127        |
| LWB models V8engine                        | Front      | 1979-83 | Salisbury type                               | 31.5 (1.24")   | 24           | 3.54  | RD161      | ET161    | EL161        |
|                                            | Rear       | 1979-83 | Salisbury type                               | 31.5 (1.24")   | 24           | 3.54  | RD161      | ET161    | EL161        |
|                                            |            | 1979-83 | Salisbury type                               | 31.5 (1.24")   | 24           | 3.54  | RD161      | ET161    | EL161        |
| Defender 90,County                         | Front      | 1984-93 | Rover type                                   | 28.2 (1.11")   | 10           | 3.54  | RD127      | ET127    | EL127        |
|                                            |            | 1993 on | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            |            | 1983-93 | Rover type                                   | 28.2 (1.11")   | 10           | 3.54  | RD127      | ET127    | EL127        |
|                                            | Rear       | 1983-93 | 4 cyl. petrol & diesel engines               | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            |            | 1993 on | Rover type                                   | 31.5 (1.24")   | 24           | 3.54  | RD128      | ET128    | EL128        |
|                                            |            | 2002 on | Rover type,P38A                              | 31.5 (1.24")   | 24           | 3.54  | RD138      | ET138    | EL138        |
|                                            |            | 1984-85 | Rover type                                   | 28.2 (1.11")   | 10           | 4.7   | RD127      | ET127    | EL127        |
|                                            |            | 1984-85 | Salisbury type                               | 31.5 (1.24")   | 24           | 4.7   | RD160      | ET160    | EL160        |
| Series III, Series II, Series I            | Front      | 1948-85 | Rover type                                   | 28.2 (1.11")   | 10           | 4.7   | RD127      | ET127    | EL127        |
|                                            | Rear       | 1948-85 | Salisbury type                               | 31.5 (1.24")   | 24           | 4.7   | RD160      | ET160    | EL160        |

**CONQUER 4X4**



KIA



| Vehicle/Model | Axle Loc'n | Year | Description | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Elocker + LSD |
|---------------|------------|------|-------------|----------------|--------------|-------|------------|----------|---------------|
| Borrego       | Rear       |      |             |                |              |       | RD306      | ET306    | EL306         |





# HYUNDAI



| Vehicle/Model           | Axle Loc'n | Year   | Description             | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Elocker +LSD |
|-------------------------|------------|--------|-------------------------|----------------|--------------|-------|------------|----------|--------------|
| Terracan                | Front      | 2001on | ALL models              | 28.8 (1.13)    | 28           | ALL   | RD110      | ET110    | EL110        |
|                         | Rear       | 2001on | ALL models              | 34.8 (1.37")   | 34           | ALL   | RD156      | ET156    | EL156        |
| Calloper<br>Galloper II | Front      |        | IFS,28 spline, 8.00" RG | 28.8 (1.13")   | 28           | ALL   | RD110      | ET110    | EL110        |
|                         | Front      |        | IFS,28 spline, 7.25" RG | 28.8 (1.13")   | 28           | ALL   | RD309      | ET309    | EL309        |
|                         | Front      |        | IFS,25 spline, 7.25" RG | 28.8 (1.13")   | 25           | ALL   | RD311      | ET311    | EL311        |
|                         | Rear       |        | 8.00"10 bolt RG         | 30.5 (1.20")   | 28           | ALL   | RD210      | ET210    | EL210        |
|                         | Rear       |        | 9.00"12 bolt RG         | 30.5 (1.20")   | 28           | ALL   | RD212      | ET212    | EL212        |
|                         |            |        |                         |                |              |       |            |          |              |





# FORD



| Vehicle/Model                                   | Axle Loc'n                                                    | Year         | Description                                          | Shaft Diameter | Shaft Spline | Ratio     | Air locker | E-locker | Elocker +LSD |         |
|-------------------------------------------------|---------------------------------------------------------------|--------------|------------------------------------------------------|----------------|--------------|-----------|------------|----------|--------------|---------|
| Maverick<br>(Nissan Patrol<br>GQ)               | Front                                                         | ALL          | H233B                                                | 32.0 (1.26")   | 31           | ALL       | RD136      | ET136    | EL136        |         |
|                                                 | Rear                                                          | ALL          | H233B                                                |                | 31           | ALL       | RD135      | ET135    | EL135        |         |
| F 100/150 Pickup<br>E100/150Van<br>(2WD) Bronco | Front                                                         | 1997 on      | Ford 8.8 " dia. RG, IFS                              | 30.5 (1.20")   | 28           | ALL       | RD82       | ET82     | EL82         |         |
|                                                 |                                                               | 2010 on      | Ford 8.8 " dia. RG, IFS (incl. Raptor) C-clip        | 33.5 (1.32")   | 31           | ALL       | RD81       | ET81     | EL81         |         |
|                                                 |                                                               | 2010 on      | ord 8.8 " dia. RG, IFS (incl. Raptor) without C-clip | 33.5 (1.32")   | 31           | ALL       | RD81-2     | ET81-2   | EL81-2       |         |
|                                                 |                                                               | 1983-96      | Dana 44,C-clip                                       | 33.3 (1.31")   | 30           | 3.92 & UP | RD116      | ET116    | EL116        |         |
|                                                 |                                                               |              |                                                      |                |              | 3.73 & DN | RD117      | ET117    | EL117        |         |
|                                                 |                                                               | To 1982      | Dana 44                                              | 33.3 (1.31")   | 30           | 3.92 & UP | RD116      | ET116    | EL116        |         |
|                                                 | Rear                                                          | 1976-86      | Ford 9" dia. RG                                      | 33.5 (1.32")   | 31           | ALL       | RD119      | ET119    | EL119        |         |
|                                                 |                                                               | To 1979      | Ford 9" dia. RG                                      | 30.5 (1.20")   | 28           | ALL       | DE         |          |              |         |
|                                                 |                                                               | 1977-79      | Dana 44                                              | 33.3(1.31")    | 30           | 3.92 & UP | RD116      | ET116    | EL116        |         |
|                                                 |                                                               |              |                                                      |                |              | 3.73 & DN | RD117      | ET117    | EL117        |         |
|                                                 |                                                               | 1997 on      | Ford 9.75" dia. RG, C-clip                           | 34.8 (1.37")   | 34           | ALL       | RD150      | ET150    | EL150        |         |
|                                                 |                                                               | 1983 on      | Ford 8.8" dia. RG                                    | 33.5 (1.32")   | 31           | ALL       | RD81       | ET81     | EL81         |         |
| F250 Pickup,<br>E250 Van (2WD)                  | Front                                                         | 1997-98      | Ford 8.8" dia. RG, 3750lb                            | 33.5 (1.32")   | 31           | ALL       | RD81       | ET81     | EL81         |         |
|                                                 |                                                               | 1983-96      | Dana 44,C-clip                                       | 33.3 (1.31")   | 30           | ALL       | RD82       | ET82     | EL82         |         |
|                                                 |                                                               |              |                                                      |                |              | 3.92 & UP | RD116      | ET116    | EL116        |         |
|                                                 |                                                               | To 1983      | Dana 44                                              | 33.3 (1.31")   | 30           | 3.73 & DN | RD117      | ET117    | EL117        |         |
|                                                 |                                                               |              |                                                      |                |              | 3.92 & UP | RD116      | ET116    | EL116        |         |
|                                                 |                                                               | 2000 on      | Dana 60,full floating                                | 38.1 (1.50")   | 35           | 4.56 & UP | RD166      | ET166    | EL166        |         |
|                                                 | Rear                                                          | 1980-06      | Dana 50, IFS w/HD suspension option                  | 33.3 (1.31")   | 30           | ALL       | DE         |          |              |         |
|                                                 |                                                               | 1999-05      | Dana 50, live axle                                   | 33.3 (1.31")   | 30           | ALL       | DE         |          |              |         |
|                                                 |                                                               | 1975-84      | Dana 60,full floating                                | 33.3 (1.31")   | 30           | 4.56 & UP | RD162      | ET162    | EL162        |         |
|                                                 |                                                               |              |                                                      |                |              | 4.10 & DN | RD163      | ET163    | EL163        |         |
|                                                 |                                                               | 1995-96      | Dana 60,full floating                                | 38.1 (1.50")   | 35           | 4.56 & UP | RD166      | ET166    | EL166        |         |
|                                                 |                                                               |              |                                                      |                |              | 4.10 & DN | RD167      | ET167    | EL167        |         |
|                                                 |                                                               | 1981 on      | Dana 60, semi floating(C-clip)                       | 38.1 (1.50")   | 35           | 4.56 & UP | RD168      | ET168    | EL168        |         |
|                                                 |                                                               | 1995 on      | Ford 10.25"/10.5" dia. RG, 6250lb full floating      | 38.1 (1.50")   | 35           | ALL       | RD140      | ET140    | EL140        |         |
| 2002 on                                         | Dana 70, full floating                                        | 35.8 (1.41") | 32                                                   | 4.56 & UP      | RD170        | ET170     | EL170      |          |              |         |
| F350 Pickup,<br>E350 Van (2WD)                  | Front                                                         | 1986 on      | Dana 60                                              | 38.1 (1.50")   | 35           | 4.56 & UP | RD166      | ET166    | EL166        |         |
|                                                 |                                                               | 1980-04      | Dana 50                                              | 33.3 (1.31")   | 30           | 4.30 & DN | RD167      | ET167    | EL167        |         |
|                                                 |                                                               |              |                                                      |                |              | ALL       | RD158      | ET158    | EL158        |         |
|                                                 |                                                               | 1997-00      | Non-HD option                                        | 33.3 (1.31")   | 30           | ALL       | RD158      | ET158    | EL158        |         |
|                                                 | Rear                                                          | 2000-01      | Dana 60(dual rear wheel axle models)                 | 38.1 (1.50")   | 35           | 4.56 & UP | RD166      | ET166    | EL166        |         |
|                                                 |                                                               | 1988 on      | Dana 60,full floating                                | 38.1 (1.50")   | 35           | 4.10 & DN | RD167      | ET167    | EL167        |         |
|                                                 |                                                               |              |                                                      |                |              | 4.56 & UP | RD166      | ET166    | EL166        |         |
|                                                 |                                                               | 1973-79      | Dana 60,full floating                                | 33.3 (1.31")   | 30           | 4.10 & DN | RD167      | ET167    | EL167        |         |
|                                                 |                                                               |              |                                                      |                |              | 4.56 & UP | RD162      | ET162    | EL162        |         |
|                                                 |                                                               | 1975-85      | Dana 70HD, 10.5" dia. RG                             | 38.1 (1.50")   | 35           | 4.10 & DN | RD163      | ET163    | EL163        |         |
|                                                 | 4.56 & UP                                                     |              |                                                      |                |              | RD172     | ET172      | EL172    |              |         |
|                                                 | F450/550 Pickup,<br>Super Duty Van<br>(2WD),<br>E/F350 Dually | Front        | 1997 on                                              | Dana 60        | 38.1 (1.50") | 35        | 4.56 & UP  | RD166    | ET166        | EL166   |
| Rear                                            |                                                               |              | 1996 on                                              | Dana 80        | 40.6 (1.60") | 37        | 4.10 & DN  | RD167    | ET167        | EL167   |
|                                                 |                                                               | 1988 on      | 4.10 & UP                                            |                |              |           | RD174      | ET174    | EL174        |         |
|                                                 |                                                               |              |                                                      |                |              |           | 3.73 & DN  | RD175    | ET175        | EL175   |
|                                                 |                                                               |              |                                                      |                |              |           | 4.10 & UP  | RD172    | ET172        | EL172   |
| 3.73 & DN                                       |                                                               | RD173        | ET173                                                | EL173          |              |           |            |          |              |         |
| Explorer,Ranger<br>(US)<br>Aerostar(2WD)        | Front                                                         | 1990-97      | Dana 35(V6 only)                                     | 29.5 (1.16")   | 27           | 3.54 & UP | RD102      | ET102    | EL102        |         |
|                                                 |                                                               | 1998-2011    | Dana35 (non-standard)                                |                |              |           |            |          | DE           |         |
|                                                 |                                                               |              |                                                      |                |              |           |            |          |              | 2019 on |
|                                                 | Rear                                                          | 1990-2011    | Ford 8.8 " dia. RG, C-clip                           | 30.5 (1.20")   | 28           | ALL       | RD82       | ET82     | EL82         |         |
|                                                 |                                                               | 2019 on      | Dana M220                                            | 33.5 (1.32")   | 31           | ALL       | RD81       | ET81     | EL81         |         |
|                                                 |                                                               |              |                                                      | 35.8 (1.41")   | 32           | ALL       | RD245      | ET245    | EL245        |         |
| Courier,Ranger<br>(Thai) Raptor<br>(Aus)        | Front                                                         | 2012 on      | IFS,29 spline,cast iron,clamshell type               | 31.5 (1.24")   | 29           | ALL       | RD219      | ET219    | EL219        |         |
|                                                 |                                                               | 2006- 12     | IFS, 30 spline                                       | 30.8 (1.21")   | 30           | ALL       | RD223      | ET223    | EL223        |         |
|                                                 |                                                               | To 2006      |                                                      |                |              |           | DE         |          |              |         |
|                                                 | Rear                                                          | To 2006      | 4 Cylinder, Dana banjo type                          | 30.8 (1.21")   | 30           | ALL       | RD123      | ET123    | EL123        |         |
|                                                 |                                                               | 2006-11      | 6 Cylinder, salisbury type                           | 32.8 (1.29")   | 30           | ALL       | DE         |          |              |         |
|                                                 |                                                               |              | Dana 44,32 spline                                    | 35.8 (1.41")   | 32           | ALL       | RD143      | ET143    | EL143        |         |
|                                                 |                                                               | 2012-21      | ALL models (incl. OE locker equipped)                | 34.6 (1.36")   | 32           | ALL       | RD220      | ET220    | EL220        |         |
|                                                 |                                                               | 2022 on      | Dana M220                                            | 35.8 (1.41")   | 32           | ALL       | RD245      | ET245    | EL245        |         |
| Expedition                                      | Front                                                         | 1997 on      | Ford 8.8" dia. RG, C-clip                            | 30.5 (1.20")   | 28           | ALL       | RD82       | ET82     | EL82         |         |
| Everest                                         | Rear                                                          | 1997 on      | Ford 9.75" dia. RG                                   | 34.8 (1.37")   | 34           | ALL       | RD150      | ET150    | EL150        |         |
|                                                 | Front                                                         | 2015 on      | IFS,29 spline,clamshell type                         | 31.5 (1.24")   | 29           | ALL       | RD219      | ET219    | EL219        |         |
| Ford Bronco                                     | Front                                                         | 2021+        | IFS D30/M190                                         | 31.5 (1.24")   | 29           | ALL       | RD219      | ET219    | EL219        |         |
|                                                 | Rear                                                          | 2021+        | D44/M220                                             | 35.8 (1.41")   | 32           | ALL       | RD245      | ET245    | EL245        |         |




# MAHINDAR



| Vehicle/Model                                  | Axle Loc'n | Year | Description      | Shaft Diameter | Shaft Spline | Ratio     | Air locker | E-locker | Elocker +LSD |
|------------------------------------------------|------------|------|------------------|----------------|--------------|-----------|------------|----------|--------------|
| Thar, Scorpio,<br>Tata Safari,<br>Xenon & Sumo | Front      |      | DANA 30          |                | 10           | 3.73 & UP |            |          |              |
|                                                |            |      | DANA 30          |                | 10           | 3.54 & DN |            |          |              |
|                                                |            |      | DANA 30          |                | 27           | 3.73 & UP | RD100      | ET100    | EL100        |
|                                                |            |      | DANA 30          |                | 27           | 3.54 & DN | RD101      | ET101    | EL101        |
|                                                | Rear       |      | DANA 44, 10 bolt |                | 10           | 3.92 & UP |            |          |              |
|                                                |            |      | DANA 44, 10 bolt |                | 10           | 3.73 & DN |            |          |              |
|                                                |            |      | DANA 44, 10 bolt |                | 30           | 3.92 & UP | RD116      | ET116    | EL116        |
|                                                |            |      | DANA 44, 10 bolt |                | 30           | 3.73 & DN | RD117      | ET117    | EL117        |
| Jeeps & Boleros                                | Front      |      | DANA 30          |                | 10           | 3.73 & UP |            |          |              |
|                                                |            |      | DANA 30          |                | 10           | 3.54 & DN |            |          |              |
|                                                |            |      | DANA 30          |                | 27           | 3.73 & UP | RD100      | ET100    | EL100        |
|                                                |            |      | DANA 30          |                | 27           | 3.54 & DN | RD101      | ET101    | EL101        |
|                                                | Rear       |      | DANA 44, 10 bolt |                | 10           | 3.92 & UP |            |          |              |
|                                                |            |      | DANA 44, 10 bolt |                | 10           | 3.73 & DN |            |          |              |
|                                                |            |      | DANA 44, 10 bolt |                | 30           | 3.92 & UP |            |          |              |
|                                                |            |      | DANA 44, 10 bolt |                | 30           | 3.73 & DN |            |          |              |





# MAZDA



| Vehicle/Model    | Axle Loc'n | Year    | Description                           | Shaft Diameter | Shaft Spline | Ratio     | Air locker | E-locker | Elocker +LSD |
|------------------|------------|---------|---------------------------------------|----------------|--------------|-----------|------------|----------|--------------|
| Navajo(US)       | Front      | 1990-94 | Dana35                                | 29.5 (1.16")   | 27           | 3.54 & UP | RD102      | ET102    | EL102        |
|                  |            |         |                                       |                | 27           | 2.73-3.31 | RD103      | ET102    | EL102        |
|                  | Rear       | 1990-94 | Ford 8.8" dia. RG, C-clip             | 30.5 (1.20")   | 28           | ALL       | RD82       | TE82     | EL82         |
| B4000,Pickup(US) | Front      | 1993-94 | Dana35                                | 29.5 (1.16")   | 31           | ALL       | RD81       | ET81     | EL81         |
|                  |            |         |                                       |                | 27           | 3.54 & UP | RD102      | ET102    | EL102        |
|                  | Rear       | 1993    | Ford 8.8 " dia. RG, C-clip            | 30.5 (1.20")   | 27           | 2.73-3.31 | RD103      | ET102    | EL102        |
|                  |            |         |                                       |                | 28           | ALL       | RD82       | ET82     | EL82         |
| BT-50(Thai)      | Front      | 2006-12 | IFS                                   | 30.8 (1.21")   | 30           | ALL       | RD223      | ET223    | EL223        |
|                  |            | 2012-20 | IFS, 29 spline, clamshell type        | 31.5 (1.24")   | 29           | ALL       | RD219      | ET219    | EL219        |
|                  |            | 2020 on | Independent suspension (IFS)          | 30.8 (1.18")   | 29           | ALL       | RD260      | ET260    | EL260        |
|                  |            | 2006-11 | Dana 44,32 spline                     | 35.8 (1.41")   | 32           | ALL       | RD143      | ET143    | EL143        |
|                  | Rear       | 2012-20 | All models (incl. OE locker equipped) | 34.6 (1.36")   | 32           | ALL       | RD220      | ET220    | EL220        |
|                  |            | 2020 on | All models                            | 33.5 (1.32")   | 26           | ALL       | RD213      | ET213    | EL213        |
|                  |            |         |                                       |                |              |           |            |          |              |
|                  |            |         |                                       |                |              |           |            |          |              |



| Vehicle/Model | Axle Loc'n | Year | Description | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Elocker +LSD |
|---------------|------------|------|-------------|----------------|--------------|-------|------------|----------|--------------|
| UAZ-469       | Rear       |      | Timken axle |                | 10           |       | RD305      | ET305    | EL305        |
|               |            |      | Spicer axle |                | 10           |       | RD304      | ET304    | EL304        |
| Uaz Hunter    | Rear       |      |             |                | 10           |       | RD307      | ET307    | EL307        |






# GREAT WALL



| Vehicle/Model  | Axle Loc'n | Year | Description                | Shaft Diameter | Shaft Spline | Ratio | Air locker | E-locker | Elocker +LSD |
|----------------|------------|------|----------------------------|----------------|--------------|-------|------------|----------|--------------|
| H3,H5, Pick up | Front      | ALL  | 10 bolt                    | 33 (1.31")     | 30           |       | RD801      | ET801    | EL801        |
|                | Rear       | ALL  | Engine without tirbo       |                | 30           |       | RD801      | ET801    | EL801        |
|                |            |      | Engine with turbo, 12 bolt |                | 30           |       | RD802      | ET802    | EL802        |







**Conquer 4x4 Co.,Ltd**

**Web: [www.conquer4x4.com](http://www.conquer4x4.com)**

**Email: [Info@conquer4x4.com](mailto:Info@conquer4x4.com)**

**Add: Building 2, No. 315, Weichang Rd. Baoshan Dist.  
Shanghai 310113**